

- 1 Aitken, D. L., & Kershaw, A.P. (1993). "Holocene vegetation and environmental history of Cranbourne Botanic Garden, Victoria." *Proceedings of the Royal Society of Victoria* 105(1): 67-80.
- 2 Anderson, J. A. R. (1964). "The structure and development of peat swamps in Sarawak and Brunei." *The Journal of Tropical Geography* 18: 7-16.
- 3 Anderson, J. A. R. Muller., J. (1975). "Palynological study of a Holocene peat and Miocene coal deposit from NW Borneo." *Review of Palaeobotany and Palynology* 19: 291-351.
- 4 Anderson, P. (1986). *A palaeoenvironmental and stratigraphic history from lowland swamp environments: Mulgrave River, north-east Queensland.* Geography. Melbourne, Monash.
- 5 Anker, S. A., Colhoun, E.A., Barton, C.E., Peterson, M., & Barbetti, M. (2001). "Holocene vegetation, palaeoclimatic and palaeomagnetic history from Lake Johnson, Tasmania." *Quaternary Research* 56(2): 264-274.
- 6 Anshari, G., Kershaw, A.P., & van der Kaars, S. (2001). "A Late Pleistocene and Holocene pollen and charcoal record from peat swamp forest, Lake Sentarum Wildlife Reserve, West Kalimantan, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 213-228.
- 7 Ariati, S. R. (1991). *Stratigrifi polen dan spora di Telaga Merada, Kec, Batur, Jawa Tengah.* Biologi, Gadjja Mada.
- 8 Ashton, D. H., & Hargreaves, G.R. (1983). "Dynamics of subalpine vegetation at Echo Flat, Lake Mountain, Victoria." *Australian Journal of Ecology* 12(35-60).
- 9 Athens, J. S. (1997). *Hawaiian Native Lowland Vegetation in Prehistory. Historical Ecology in the Pacific Islands - Prehistoric Environments and Landscape Change.* P. Kirch, & Hunt, T.: 248-270.
- 10 Athens, J. S., & Ward, J.V. (1991). *Paleoenvironmental and Archeological investigations, Kawainui Marsh Flood Control Project, O'ahu Island, Hawai'i.* Honolulu, International Archeological Research Institute, Inc.
- 11 Athens, J. S., & Ward, J.V. (1993). *Paleoenvironmental investigations at Hamakua Marsh, Kailua, O'ahu, Hawai'i.* Honolulu, International Archaeological Research Institute, Inc.
- 12 Athens, J. S., & Ward, J.V. (1996). *A Sediment coring record at Kapunahala Marsh, Kailua, O'ahu, Hawai'i.* Honolulu, International Archaeological Research Institute, Inc.
- 13 Athens, J. S., & Ward, J.V. (1996). *Paleoenvironmental study of Fishponds at Fort Shafter, O'ahu, Hawai'i. Fort Shafter: Cultural Resource Investigations at Hawai'i's First U.S. Military Post.* M. J. Tomonari-Tuggle, et al, International Archaeological Research Institute, Inc.: Appendix F.
- 14 Athens, J. S., & Ward, J.V. (1997). "The Maunawili Core: Prehistoric inland expansion of settlement and agriculture, O'ahu, Hawai'i." *Hawaiian Archaeology* 7: 37-51.
- 15 Athens, J. S., & Ward, J.V. (1997). *Liliha Paleoenvironmental study, Honolulu, Hawai'i.* Honolulu, International Archaeological Research Institute, Inc.
- 16 Athens, J. S., & Ward, J.V. (1998). *Palaeoenvironment and prehistoric landscape change: a sediment core record from Lake Hagoi, Tinian, CNMI.* Honolulu, Unpublished report for Dept. of U.S. Navy.
- 17 Athens, J. S., & Ward, J.V. (1998). *Paleoenvironment and prehistoric landscape change: Wetland sediment cores from Babeldaob Island, Palau.* Honolulu, International Archaeological Research Institute, Inc.
- 18 Athens, J. S., Ward, J.V., & Blinn, D.W. (1995). *Paleoenvironmental investigations at Uko'a Pond, Kawaihoa Ahupua'a, O'ahu, Hawai'i.* Honolulu, International Archaeological Research Institute, Inc.
- 19 Athens, J. S., Ward, J.V., & Murakami, G.M. (1996). "Development of an agroforest on a Micronesian high island - prehistoric Kosraean agriculture." *Antiquity* 70(270): 834-846.
- 20 Athens, J. S., Ward, J.V., & Tomonari-Tuggle, M.J. (1994). *Archaeological inventory survey and Paleoenvironmental investigations at Ma'alaea Power Plant, Maui Electric Co., Ltd., Waikapu, Ahupua'a, Ma'alaea, Maui.* Honolulu, International Archaeological Research Institute, Inc.
- 21 Athens, J. S., Ward, J.V., & Tomonari-Tuggle, M.J. (1996). *Archaeological inventory survey and Paleoenvironmental coring for Kiosks, Boardwalk and Parking areas, Kealia Pond National Wildlife Refuge, Kihei, Maui, Hawai'i.* Honolulu, International Archaeological Research Institute, Inc.

- 22 Athens, J. S., Ward, J.V., & Wickler, S. (1992). "Late Holocene lowland vegetation, O'ahu, Hawai'i." *New Zealand Journal of Archaeology* 19: 9-34.
- 23 Athens, J. S., Ward, J.V., et al. (1999). Archaeological inventory survey of the Sasa valley and Tenjo Vista fuel tank farms, Piti District, Territory of Guam, Mariana Island. Honolulu, International Archaeological Research Institute, Inc.
- 24 Athens, J. S., Ward, J.V., et al. (1999). Environment, vegetation change, and early human settlement on the 'Ewa Plain: A cultural resource inventory of Naval air station, Barbers Point, O'Ahu, Hawai'i. Part III Palaeoenvironmental Investigations. Honolulu, International Archaeological Research Institute, Inc.
- 25 Athens, S.J. and Ward, J.V. 2004. Holocene vegetation, savanna origins and human settlement of Guam. *Records of the Australian Museum Suppl.* 29, 15-30.
- 26 Augustinius, P. C., & Macphail, M.K. (1997). "Early Pleistocene stratigraphy and timing of the Bulgobac Glaciation, Western Tasmania, Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 128(1-4): 253-267.
- 27 Backhouse, J. (1993). "Holocene vegetation and climate record from Barker Swamp, Rottneest Island, Western Australia." *Journal of the Royal Society of Western Australia.* 76: 53-61.
- 28 Balme, B. E. (1963). Palynological Report, number 98 Lake Eyre no. 20 Bore, South Australia., Geology Survey of South Australia Reports of Investigations, 24.: 89-104.
- 29 Becker, C. Unpub PhD thesis, Geography, University of New South Wales.
- 30 Bell, C. J. E., Finlayson, B.L., & Kershaw, A.P. (1989). "Pollen analysis and dynamics of a peat deposit in Carnarvon National Park, central Queensland." *Australian Journal of Ecology* 14: 449-456.
- 31 Bera, S. K., & Gupta, H.P. (1992). "Correlation between pollen spectra and modern vegetation of Anamalai Hills, Tamil Nadu." *Proceedings of the Birbal Sihni Birth Centenary Palaeobotanical Conference, Geophytology* 22: 239-245.
- 32 Binder, R. M. (1978). "Stratigraphy and pollen analysis of a peat deposit, Bunyip Bog, Mt. Buffalo, Victoria." *Monash Publications in Geography.* 19: 52.
- 33 Binder, R. M., & Kershaw, A.P. (1978). "A Late-Quaternary pollen diagram from the south-eastern highlands of Australia." *Search* 9(1-2): 44-45.
- 34 Bohte, A., & Kershaw, A.P. (1999). "Taphonomic influences on the interpretation of the Palaeoecological record from Lynch's Crater, northeastern Australia." *Quaternary International* 57(8): 49-59.
- 35 Bottomley, C. (1994). Late Quaternary Palaeoenvironments of Carlisle Perched Lake in the Otway Ranges, Victoria. *Geography and Environmental Science.* Melbourne, Monash.
- 36 Bowler, J. M., & Hamada, T. (1971). "Late Quaternary stratigraphy and radiocarbon chronology of water fluctuations in Lake Keilambete, Victoria." *Nature* 232: 330-332.
- 37 Bowler, J. M., et al (1970). "Pleistocene human remains from Australia: a living site and human cremation from Lake Mungo, western New South Wales." *World Archaeology* 2(1): 39-60.
- 38 Boyd, W. E. (1990). "Quaternary pollen analysis in the arid zone of Australia; Dalhousie Springs, central Australia." *Review of Palaeobotany and Palynology* 64(1-4): 331-341.
- 39 Boyd, W. E. (1993). "Proto-Swamp Bay: a Palaeogeographical model of the late Holocene, Eighteen Mile Swamp, North Stradbroke Island, south east Queensland." *Proceedings of the Royal Society of Queensland* 103: 75-83.
- 40 Boyd, W. E. (1994). "Quaternary pollen analysis in the Arid zone of Australia: further results from Dalhousie Springs, central Australia." *Australian Geographical Studies* 32(2): 274-280.
- 41 Boyd, W. E., & McGarth, R.J. (2001). "The Geoarchaeology of the Prehistoric ditched sites of the upper Mae Nam Mun Valley, NE Thailand. III. Late Holocene vegetation history." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 307-328.

- 42 Boyd, W. E., Stubbs, B.J., & Averill, C. (1999). "The "Grasses" of the Big Scrub district of northeastern New South Wales: A Sedimentary record of late Holocene grasslands in a subtropical forest landscape." *Australian Geographer* 30(3): 331-336.
- 43 Bradbury, J. P. (1986). "Late Pleistocene and Holocene paleolimnology of two mountain lakes in western Tasmania." *Palaeos* 1: 381-388.
- 44 Burney, D. A., DeCandido, R.V., Burney, L.P., Kostel-Hughes, F.N., Stafford, T.W., & James, H.F. (1995). "A Holocene record of climate change, fire ecology, and human activity from montane Flat Top Bog, Maui." *Journal of Paleolimnology* 13(3): 209-217.
- 45 Burrows, C. J. (1983). "Radiocarbon dates from Late Quaternary deposits in the Cass District, Canterbury, New Zealand." *New Zealand Journal of Botany* 21: 443-454.
- 46 Burrows, C. J. (1995). "A macrofossil flora from sediments in a lagoon marginal to Lake Coleridge, Canterbury, New Zealand." *New Zealand Journal of Botany* 33(4): 519-522.
- 47 Burrows, C. J. (1996). "Radiocarbon dates for Holocene fires and associated events, Canterbury, New Zealand." *New Zealand Journal of Botany* 34(1): 111-121.
- 48 Burrows, C. J., & Moar, N.T. (1996). "A Mid Otira Glaciation palaeosol and flora from the Castle Hill Basin, Canterbury, New Zealand." *New Zealand Journal of Botany* 34(4): 539-545.
- 49 Burrows, C. J., Randall, P., Moar, N.T., & Butterfield, B.G. (1993). "Aranuiian vegetation history of the Arrowsmith Range, Canterbury, New Zealand. 3. Vegetation changes in the Cameron, Upper South Ashburton and Paddle Hill Creek catchments." *New Zealand Journal of Botany* 31(2): 147-174.
- 50 Bussell, M. R. (1993). "A late Pleistocene vegetational and climatic history of part oxygen isotope stage 5, Ararata, south Taranaki, New Zealand." *Journal of the Royal Society of New Zealand* 23(2): 129-145.
- 51 Bussell, M. R., & Pillans, B. (1997). "Vegetational and climatic history during oxygen isotope stage 7 and early stage 6, Taranaki, New Zealand." *Journal of the Royal Society of New Zealand* 27(4): 419-438.
- 52 Campbell, E. O., Heine, J.C., & Pullar, W.A. (1973). "Identification of plant fragments and pollen from peat deposits in Rangitaiki Plains and Maketu Basins." *New Zealand Journal of Botany* 11(2): 317-330.
- 53 Caratini, C., & Tissot, C. (1988). "Paleogeographical evolution of the Mahakam Delta in Kalimantan, Indonesia, during the Quaternary and late Pliocene." *Review of Palaeobotany and Palynology* 55: 217-228.
- 54 Caratini, C., Bentaleb, I., Fontugne, M., Morzadecqerfourn, M.T., Pascal, J.P., & Tissot, C. (1994). "A less humid climate since ca. 3500 yr BP from marine cores off Karwar, Western India." *Palaeogeography Palaeoclimatology Palaeoecology* 109(2-4): 371-384.
- 55 Caratini, C., Delibrias, G., & Rajagopalan, G. (1989). "Palaeomangroves of Kanara coast, Karnataka, India and their implications on Late Pleistocene sea-level changes, Proceedings Symp. "Vistas in Indian Palaeobotany"." *Palaeobotanist* 38: 370-378.
- 56 Chalson, J. M. (1991). *The Late Quaternary vegetation and climatic history of the Blue Mountains, New South Wales, Australia*. Sydney, New South Wales.
- 57 Chen, S. H., & Wu, J.T. (1999). "Paleolimnological environment indicated by the diatom and pollen assemblages in an alpine lake in Taiwan." *Journal of Paleolimnology* 22(2): 149-158.
- 58 Chen, Y. (1986). *Early Holocene vegetation dynamics of Lake Barrine Basin, north-east Queensland, Australia*. Canberra, Australian National University.
- 59 Chen, Y. (1987). "Pollen and sediment distribution in a small crater lake in Northeast Queensland, Australia." *Pollen et Spores* 29(1): 89-110.
- 60 Chen, Y. (1988). "Early Holocene population expansion of some rainforest trees at Lake Barrine basin, Queensland." *Australian Journal of Ecology* 13: 225-233.
- 61 Churchill, D. M. (1959). "Late Quaternary eustatic changes in the Swan River District." *Journal of the Royal Society of Western Australia*. 42: 53-55.

- 62 Churchill, D. M. (1960). "Late Quaternary changes in the vegetation on Rottneest Island." *Western Australian Naturalist* 7: 160-166.
- 63 Churchill, D. M. (1968). "The distribution and prehistory of *Eucalyptus diversicolor* F.Muell., *E. marginata* Donn ex Sm., and *E. calophylla* R.Br. in relation to rainfall." *Australian Journal of Botany* 16: 125-151.
- 64 Churchill, D. M., & Dodson, J.R. (1980). "The occurrence of *Phyllocladus asplenifolius* (Labill.) Hook.F. in Victoria prior to 1100 B.P." *Muelleria* 4(3): 277-284.
- 65 Clark, G., & Hope, G. (1997). Preliminary report on archaeological and palaeoenvironmental investigations in northern Lau, Fiji., National Museum, Fiji: 28.
- 66 Clark, G., & Hope, G. (2001). "Archaeological and palaeoenvironmental investigations on Yacata Island, northern Lau, Fiji." *Domo Domo* 13(2): 29-47.
- 67 Clark, J. T., & Cole, A.O. (1997). Environmental change and human prehistory in the Central Pacific: Archaeological and palynological investigations on Totoya Island, Fiji. Suva, Fiji Museum.
- 68 Clark, J. T., Cole, A.O., & Nunn, P.D. (1999). Environmental change and human prehistory on Totoya Island, Fiji. Le Pacifique de 5000 to 2000 avant le present. Supplements.. l'histoire d'une colonisation. The Pacific from 5000 to 2000 BP. Colonisation and transformations . I. Lilley, & Galipaud, J-C. Vanuatu, Editions de l'ORSTOM.
- 69 Clark, R. L. (1976). Vegetation history and the influence of the sea at Lashmar's Lagoon, Kangaroo Island, South Australia. 3, 000 B.P. to the present day. Melbourne, Monash University.
- 70 Clark, R. L. (1983). "Pollen and charcoal evidence for the effects of Aboriginal burning on the vegetation of Australia." *Archaeology in Oceania*. 18(2): 32-37.
- 71 Clark, R. L. (1986). The fire history of Rotten Swamp, A.C.T., Canberra. Canberra, A.C.T. Parks and Conservation Service, CSIRO.
- 72 Clark, R. L., & Guppy, J.C. (1988). "A transition from mangrove forest to freshwater wetland in the monsoon tropics of Australia." *Journal of Biogeography*. 15: 665-684.
- 73 Clark, R. L., Hope, G.S., & Hope, J.H. (in press). "Palaeoenvironments of the Rocky River bone bed, Kangaroo Island, South Australia." *The Royal Society of South Australia*.
- 74 Clarke, P. J., & Martin, A.R.H. (1999). "Sphagnum peatlands of Kosciuszko National Park in relation to altitude, time and disturbance." *Australian Journal of Botany* 47(4): 519-536.
- 75 Clarkson, B. D. (1990). "A review of vegetation development following recent (450 years) volcanic disturbance in North Island, New Zealand." *New Zealand Journal of Ecology* 14: 59-71.
- 76 Clarkson, B. D., Clarkson, B.R., & McGlone, M.S. (1986). Vegetation history of some west Taupo mires. Ecological research in the central North Island volcanic plateau region.: 34-37.
- 77 Clarkson, B. R., McGlone, M.S., et al (1995). "Macrofossils and pollen representing forests of the Pre-Taupo Volcanic eruption (ca. 1850 B.P.) era at Pureora and Benneydale, Central North Island, New Zealand." *Journal of the Royal Society of New Zealand* 25(2): 263-281.
- 78 Coddington, J. (1983). Landscape evolution and its effects on Aboriginal occupation at Tilba Tilba, south coast New South Wales. Dept. of Geography and Prehistory. Canberra, Australian National University.
- 79 Cole, A. (1996). A dynamical systems framework for modelling plant community organisation. Unpublished PhD thesis, Massey University.
- 80 Colhoun, E. A. (1976). "A sequence of Late Quaternary deposits at Pipe Clay Lagoon, southeastern Tasmania." *Papers and Proceedings of the Royal Society of Tasmania*. 111: 1-12.
- 81 Colhoun, E. A. (1977). "The Remarkable Cave, southeastern Tasmania: its geomorphological development and environmental history." *Papers and Proceedings of the Royal Society of Tasmania*. 111: 29-39.
- 82 Colhoun, E. A. (1980). "Quaternary fluvial deposits from the Pieman Dam site, western Tasmania." *Proceedings of the Royal Society of London series B*. 207: 355-384.

- 83 Colhoun, E. A. (1985). "Pre-Last Glaciation maximum vegetation history at Henty Bridge, western Tasmania." *New Phytologist*. 100: 681-690.
- 84 Colhoun, E. A. (1992). "Late Glacial and Holocene vegetation history at Poets Hill Lake, western Tasmania." *Australian Geographer* 23(1): 11-23.
- 85 Colhoun, E. A. (1994). "Terrestrial and marine records of the Last Glaciation from western Tasmania: Do they agree?" *Quaternary Science Reviews*. 13: 293-300.
- 86 Colhoun, E. A. (1996). "Application of Iversen's Glacial-Interglacial cycle to interpretation of the Late Last Glacial and Holocene vegetation history of western Tasmania." *Quaternary Science Reviews*. 15: 557-580.
- 87 Colhoun, E. A., & Goede, A. (1979). "The Late Quaternary deposits of Blakes Opening and the middle Huon Valley, Tasmania." *Philosophical Transactions of the Royal Society of London*. 286(1014): 371-395.
- 88 Colhoun, E. A., & Sigleo, W.R. (1981). "A short pollen diagram from Crown Lagoon in the midlands of Tasmania." *Papers and Proceedings of the Royal Society of Tasmania*. 115: 181-188.
- 89 Colhoun, E. A., & van de Geer, G. (1987). "Holocene to Middle Last Glaciation vegetation history at Tullabardine Dam, western Tasmania." *Proceedings of the Royal Society of London series B*. 229: 177-207.
- 90 Colhoun, E. A., & van de Geer, G. (1987). "Vegetation history and climate before the Maximum of the Last Glaciation at Crotty, western Tasmania." *Papers and Proceedings of the Royal Society of Tasmania*. 121: 69-74.
- 91 Colhoun, E. A., & van de Geer, G. (1988). Darwin Crater, the King and Linda Valleys. Cainozoic vegetation in Tasmania. E. A. Colhoun. Newcastle, Geography, University of Newcastle, NSW.
- 92 Colhoun, E. A., Bengler, S.N., Fitzsimon, S.J., van de Geer, G., & Hill, R.S. (1993). "Quaternary organic deposit from Newton Creek Valley, western Tasmania." *Australian Geographical Studies* 31(1): 26-38.
- 93 Colhoun, E. A., Pola, J.S., Barton, C.E., & Heijnis, H. (1997). "Late Pleistocene vegetation and climate history of Lake Selina, western Tasmania." *Quaternary International* 57-8: 5-23.
- 94 Colhoun, E. A., van de Geer, G., & Fitzsimons, S.J. (1991). "Late Glacial and Holocene vegetation history at Governor Bog, King Valley, western Tasmania." *Journal of Quaternary Science*. 6: 55-66.
- 95 Colhoun, E. A., van de Geer, G., & Fitzsimons, S.J. (1992). "Late Quaternary organic deposits at Smelter Creek and vegetation history of the Middle King Valley, western Tasmania." *Journal of Biogeography*. 19: 217-227.
- 96 Colhoun, E. A., van de Geer, G., & Hannan, D. (1991). "Late Glacial and Holocene vegetation history at Dublin Bog, north-central Tasmania." *Australian Geographical Studies* 29: 337-354.
- 97 Colhoun, E. A., van de Geer, G., & Mook, W.G. (1982). "Stratigraphy, pollen analysis and paleoclimatic interpretation of Pulbeena Swamp, northwestern Tasmania." *Quaternary Research* 18: 108-126.
- 98 Colhoun, E. A., van de Geer, G., Hill, R.S., & Bird, T. (1989). "Interglacial pollen and plant macrofossils from Langdon River, western Tasmania." *New Phytologist*. 111: 531-548.
- 99 Corlett, R. (1984). "Human impact on the subalpine vegetation of Mt. Wilhelm, Papua New Guinea." *Journal of Ecology* 72: 841-854.
- 100 Corlett, R. (1984). "Palynological evidence for changing subsistence patterns around Mt. Wilhelm, Papua New Guinea." *Singapore Journal of Tropical Geography*. 5(2): 102-111.
- 101 Costin, A. B. (1972). "Carbon 14 dates from the Snowy Mountains area, South East Australia and their interpretation." *Quaternary Research* 2: 579-590.
- 102 Cranwell, L. M. (1959). "Fossil pollen from Seymour Island, Antarctica." *Nature* 184(4701): 1782-1785.
- 103 Crowley, G. M. (1981). The Late Quaternary environmental history of Lake Bolac region of western Victoria, and its implications for Aboriginal occupation. Melbourne, Monash.

- 104 Crowley, G. M. (1994). "Quaternary soil salinity events and Australian vegetation history." *Quaternary Science Reviews*. 13: 15-22.
- 105 Crowley, G. M., & Gagan, M.K. (1995). "Holocene evolution of coastal wetlands in wet-tropical Australia." *Holocene* 5(4): 385-399.
- 106 Crowley, G. M., & Kershaw, A.P. (1994). "Late Quaternary environmental change and human impact around Lake Bolac, western Victoria, Australia." *Journal of Quaternary Science*. 9(4): 367-377.
- 107 Crowley, G. M., Anderson, P., Kershaw, A.P., & Grindrod, J. (1990). "Palynology of a Holocene marine transgressive sequence, lower Mulgrave River Valley, north-east Queensland." *Australian Journal of Ecology* 15: 231-240.
- 108 Crowley, G. M., Grindrod, J., & Kershaw, A.P. (1994). "Modern pollen deposition in the tropical lowlands of north east Queensland, Australia." *Review of Palaeobotany and Palynology* 83(4): 299-327.
- 109 Cupper, M. L., Drinnan, A.N., & Thomas, I. (2000). "Holocene palaeoenvironments of salt lakes in the Darling Anabranch region, south-western New South Wales, Australia." *Journal of Biogeography*. 27(5): 1079-1094.
- 110 Dam, R. A. C., Fluin, J., Suparan, P., & van de Kaars, W.A. (2001). "Palaeoenvironmental developments in the Lake Tondano area ( N.Sulawesi, Indonesia) since 33, 000 yr B.P." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 147-183.
- 111 D'Costa, D. (1989). "Pollen analysis of long cores from Lake Terang, western Victoria." *Quaternary Australasia* 7(1): 8.
- 112 D'Costa, D. (1997). *The reconstruction of Quaternary vegetation and climate on King Island, Bass Strait, Australia*. Melbourne, Monash.
- 113 D'Costa, D., & Grindrod, J.F. (1991). "Reconstruction of Late Quaternary environments at Egg Lagoon, King Island, Bass Strait." *Quaternary Australasia* 9(2): 32.
- 114 D'Costa, D., & Kershaw, A.P. (1994). "A Late Pleistocene and Holocene pollen record from Lake Terang, western plains of Victoria, Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 113(1): 57-67.
- 115 D'Costa, D., Edney, P.A., Kershaw, A.P., & De Deckker, P. (1989). "Late Quaternary palaeoecology of Tower Hill, Victoria, Australia." *Journal of Biogeography*. 16: 461-482.
- 116 D'Costa, D., Grindrod, J.F., & Ogden, R. (1993). "Preliminary environmental reconstructions from late Quaternary pollen and mollusc assemblages at Egg Lagoon, King Island, Bass Strait." *Australian Journal of Ecology* 18(3): 351-366.
- 117 DeDeckker, P., Correge, T., & Head, J. (1991). "Late Pleistocene record of cyclic eolian activity from tropical Australia suggesting the Younger Dryas is not an unusual climatic event." *Geology* 19: 602-605.
- 118 Denham, T. P., Haberle, S.G., Lentfer, C., Fullagar, R., Field, J., Therin, M., Porch, N., & Winsborough, B., (2003). "Origins of Agriculture at Kuk Swamp in the Highlands of New Guinea." *Science* 301: 189-193.
- 119 Devoy, R. J., Dodson, J.R., Thom, B.G., & Nichol, S. (1994). "Holocene environments in the Hawkesbury Valley, New South Wales: A comparison of terrestrial and marine records." *Quaternary Science Reviews*. 13(3): 241-256.
- 120 Dickson, M. (1972). "Palynology of a Late Oturi interglacial and Early Otira Glacial sequence from Sunday Creek (S51), Westland, New Zealand." *New Zealand Journal of Geology and Geophysics* 15(4): 590-598.
- 121 Dickson, W. R., Burley, D.V., Nunn, P.D., Anderson, A., Hope, G.S., Biran, A.De., Burke, C., & Matararaba, S. (1998). "Geomorphologic and Archaeological Landscapes of the Sigatoka Dune site, Viti Levu, Fiji, Interdisciplinary Investigations." *Asian Perspectives* 31: 1-31.
- 122 Dodson, J. R. (1971). *Holocene vegetation history and carbonate sedimentation in western Victoria*. Melbourne, Monash.

- 123 Dodson, J. R. (1974). "Vegetation and climatic history near Lake Keilambete, western Victoria." *Australian Journal of Botany* 22: 709-717.
- 124 Dodson, J. R. (1974). "Vegetation history and water fluctuations at Lake Leake, south-eastern South Australia. Part 1. 10, 000 B.P. to Present." *Australian Journal of Botany* 22: 719-741.
- 125 Dodson, J. R. (1975). "The pre-settlement vegetation of the Mt. Gambier area, South Australia." *Transactions of the Royal Society of South Australia*. 99(2): 89-92.
- 126 Dodson, J. R. (1975). "Vegetation history and water fluctuations at Lake Leake, south-eastern South Australia. Part 2. 50, 000 B.P. to 10, 000 B.P." *Australian Journal of Botany* 23: 815-831.
- 127 Dodson, J. R. (1975). *Late Quaternary vegetation history of southeastern South Australia*. Canberra, Australian National University.
- 128 Dodson, J. R. (1976). "Modern pollen spectra from Chatham Island, New Zealand." *New Zealand Journal of Botany* 14: 341-347.
- 129 Dodson, J. R. (1977). "Late Quaternary palaeoecology of Wylie Swamp, southeastern South Australia." *Quaternary Research* 8: 97-114.
- 130 Dodson, J. R. (1977). "Pollen deposition in a small closed drainage basin Lake." *Review of Palaeobotany and Palynology* 24: 179-193.
- 131 Dodson, J. R. (1978). "A vegetation history from north-east Nelson, New Zealand." *New Zealand Journal of Botany* 16: 371-378.
- 132 Dodson, J. R. (1979). "Late Pleistocene vegetation and environments near Lake Bullenmerri, western Victoria." *Australian Journal of Ecology* 4: 419-427.
- 133 Dodson, J. R. (1982). "Modern pollen rain and recent vegetation history on Lord Howe Island: Evidence of human impact." *Review of Palaeobotany and Palynology* 38: 1-21.
- 134 Dodson, J. R. (1982). "Modern pollen rain in southeastern New South Wales, Australia." *Review of Palaeobotany and Palynology* 38: 249-268.
- 135 Dodson, J. R. (1983). "Pollen recovery from organic lake clays: A comparison of two techniques." *Pollen et Spores* 15(1): 131-138.
- 136 Dodson, J. R. (1986). "Holocene vegetation and environments near Goulburn, New South Wales." *Australian Journal of Botany* 34: 231-249.
- 137 Dodson, J. R. (1987). "Mire development and environmental change, Barrington Tops, New South Wales, Australia." *Quaternary Research* 27: 73-81.
- 138 Dodson, J. R. (1988). "The Perspective of pollen records to study response, competition and resilience in vegetation on Barrington Tops, Australia." *Progress in Physical Geography* 12: 183-208.
- 139 Dodson, J. R. (2001). "A vegetation and fire history in a subalpine woodland and rain-forest region, Solomons Jewel Lake, Tasmania." *Holocene* 11(1): 111-116.
- 140 Dodson, J. R. (2001). "Holocene vegetation change in the mediterranean-type climate regions of Australia." *Holocene* 11(6): 673-680.
- 141 Dodson, J. R., & Intoh, M. (1999). "Prehistory and palaeoecology of Yap, Federated States of Micronesia." *Quaternary International* 59: 17-26.
- 142 Dodson, J. R., & Kirk, R.M. (1978). "The influence of man at a Quarry site, Nairn River valley, Chatham Island, New Zealand." *Journal of the Royal Society of New Zealand* 8(4): 377-384.
- 143 Dodson, J. R., & Lu, J.J. (2000). "A Late Holocene vegetation and environment record from Byenup Lagoon, south-western Australia." *Australian Geographer* 31(1): 41-54.
- 144 Dodson, J. R., & Myers, C.A. (1986). "Vegetation and modern pollen rain from Barrington Tops and Upper Hunter River regions of New South Wales." *Australian Journal of Botany* 34: 293-304.
- 145 Dodson, J. R., & Thom, B.G. (1992). "Holocene vegetation history from the Hawkesbury Valley, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 113(2): 121-134.
- 146 Dodson, J. R., & Wilson, I.B. (1975). "Past and present vegetation of Marshes Swamp in south-eastern South Australia." *Australian Journal of Botany* 23: 123-150.

- 147 Dodson, J. R., & Wright, R.V.S. (1989). "Humid to arid to subhumid vegetation shift on Pilliga Sandstone, Ulungra Springs, New South Wales." *Quaternary Research* 32: 182-192.
- 148 Dodson, J. R., De Salis, T., Myers, C.A., & Sharp, A.J. (1994). "A 1000 years of environmental change and human impact in the alpine zone at Mt.Kosciusko, New South Wales." *Australian Geographer* 25(1): 77-87.
- 149 Dodson, J. R., Frank, K., Fromme, M., Hickson, D., McRae, V., & Smith, J.D. (1994). "Environmental systems and human impact at Cobrico Crater, south-western Victoria, Australia." *Australian Geographical Studies* 32: 27-40.
- 150 Dodson, J. R., Fullagar, R., Furby, J., Jones, R., & Prosser, I. (1993). "Humans and megafauna in a late Pleistocene environment from Cuddie Springs, north western New South Wales." *Archaeology in Oceania*. 28: 94-99.
- 151 Dodson, J. R., Greenwood, P.W., & Jones, R.L. (1986). "Holocene forest and wetland vegetation dynamics at Barrington Tops, New South Wales." *Journal of Biogeography*. 13: 561-585.
- 152 Dodson, J. R., McRae, V.M., Molloy, K., Roberts, F., & Smith, J.D. (1993). "Late Holocene human impact on two coastal environments in New South Wales, Australia: a comparison of Aboriginal and European impacts." *Vegetation History and Archaeobotany*. 2: 89-100.
- 153 Dodson, J. R., Mitchell, F.J.G., Boegeholz, H., & Julian, N. (1998). "Dynamics of temperate rainforest from fine resolution pollen analysis, Upper Ringarooma River, northeastern Tasmania." *Australian Journal of Ecology* 23(6): 550-561.
- 154 Dodson, J. R., Roberts, F.K., & De Salis, T. (1994). "Palaeoenvironments and human impact at Burruga Swamp in montane rainforest, Barrington Tops National Park, New South Wales, Australia." *Australian Geographer* 25(2): 161-169.
- 155 Dunbar, G. B., McLea, B., & Goff, J.R. (1997). "Holocene pollen stratigraphy and sedimentation, Wellington Harbour, New Zealand." *New Zealand Journal of Geology and Geophysics* 40(3): 325-333.
- 156 Dyson, W. D. (1995). A pollen and vegetation history from Lake Dove, western Tasmania. *Geography*. Newcastle, University of Newcastle.
- 157 Edney, P. A., Kershaw, A.P., & De Deckker, P. (1990). "A late Pleistocene and Holocene vegetation and environmental record from Lake Wangoom, western plains of Victoria, Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 80: 325-343.
- 158 Edney, P. A., Kershaw, A.P., Peterson, J.A., & Coutts, P.J.F. (1985). "Evidence of a Pleistocene age for Tower Hill, western Victoria." *Search* 16: 302-303.
- 159 Elliot, M. B. (1998). "A Late Quaternary pollen record of vegetation and climate change from Kaitaia Bog, northern New Zealand." *Review of Palaeobotany and Palynology* 99(2): 189-202.
- 160 Elliot, M. B. (1999). "Modern pollen-vegetation relationships in Northland, New Zealand." *New Zealand Journal of Botany* 37(1): 131-148.
- 161 Elliot, M. B., Flenley, J.R., & Sutton, D.G. (1998). "A Late Holocene pollen record of deforestation and environmental change from the Lake Tauanui catchment, Northland, New Zealand." *Journal of Paleolimnology* 19(1): 23-32.
- 162 Elliot, M. B., Striewski, B., Flenley, J.R., & Sutton, D.G. (1995). "Palynology and sedimentological evidence for a radiocarbon chronology of environmental change and Polynesian deforestation from Lake Taumatawhana, Northland, New Zealand." *Radiocarbon* 37: 899-916.
- 163 Elliot, M. B., Striewski, B., Flenley, J.R., Kirkman, J.H., & Sutton, D.G. (1997). "A 4300 year palynological and sedimentological record of environmental change and human impact from Wharau Road Swamp, Northland, New Zealand." *Journal of the Royal Society of New Zealand* 27(4): 401-418.
- 164 Ellison, J. C. (1989). "Pollen analysis of mangrove sediments as a sea-level indicator: assessment from Tongatapu, Tonga." *Palaeogeography Palaeoclimatology Palaeoecology* 74: 327-341.
- 165 Ellison, J. C. (1994). "Palaeo-lake and swamp stratigraphic records of Holocene vegetation and sea-level changes, Mangaia, Cook Islands." *Pacific Science* 48(1): 1-15.
- 166 Field, J. H., Dodson, J.R., & Prosser, I.P. (2002). "A Late Pleistocene vegetation history from the Australian semi-arid zone." *Quaternary Science Reviews*. 21(8-9): 1023-1037.



- 167 Fitzsimons, S. J., Colhoun, E.A., van de Geer, G. & Roberts, S. (1990). "Definition and character of the Regency Interglacial and Early-Middle Pleistocene stratigraphy in the King Valley, western Tasmania, Australia." *Boreas*. 19: 1-15.
- 168 Fleming, C. A., Mildenhall, D.C., & Moar, N.T. (1976). "Quaternary sediments and plant microfossils from Enderby Island, Auckland Islands." *Journal of the Royal Society of New Zealand* 6(4): 433-458.
- 169 Flenley, J. R. (1972). Evidence of Quaternary vegetational change in New Guinea. The Quaternary Era in Malesia - Transactions of the 2nd Aberdeen-Hull Symposium on Malesian Ecology. P. M. Ashton. Hull, Department of Geology, University of Hull. 113: 99-109.
- 170 Flenley, J. R. (1984). "Late Quaternary changes of vegetation and climate in the Malesia Mountains." *Erdwissenschaftliche Forschung* 18: 261-267.
- 171 Flenley, J. R. (1988). "Palynological evidence for land use changes in South-East Asia." *Journal of Biogeography*. 15: 185-197.
- 172 Flenley, J. R., & King, S.M. (1984). "Late Quaternary pollen records from Easter Island." *Nature* 307: 47-50.
- 173 Flenley, J. R., & Morley, R.J. (1978). "A minimum age for the deglaciation of Mt. Kinabalu, East Malaysia." *Modern Quaternary Research in South East Asia*. 4: 57-61.
- 174 Flenley, J. R., King, A.S.M., Teller, J.T., Prentice, M.E., Jackson, J., & Chew, C. (1991). "The Late Quaternary vegetational and climatic history of Easter Island." *Journal of Quaternary Science*. 6: 85-115.
- 175 Flenley, J. R., Morley, R.J., & Maloney, B.K. (1976). Investigation of Quaternary vegetational history in South East Asia. Hull, Natural Environment Research Council.
- 176 Gagan, M. K., Johnson, D.D., & Crowley, G.M. (1994). "Sea level control of stacked late Quaternary coastal sequences, Central Great Barrier Reef." *Sedimentology* 41: 329-351.
- 177 Garrett-Jones, S. E. (1979). Evidence for changes in Holocene vegetation and lake sedimentation in the Markham Valley, Papua New Guinea. Canberra, Australian National University.
- 178 Gastaldo, R. A., Feng, W.W., Staub, J.R. (1966). "Palynofacies patterns in channel deposits of the Rajang River and Delta, Sarawak, East Malaysia." *Palaos* 11(3): 266-279.
- 179 Gaze, I. (1990). Comparison of estuarine sedimentation in Southern New South Wales. Unpub Hons thesis, Department of Geography. Canberra, Australian National University.
- 180 Gell, P. A., & Stuart, I.M. (1989). "Human settlement history and environmental impact: the Delegate River catchment, East Gippsland, Victoria." *Monash Publications in Geography*. 36.
- 181 Gell, P. A., Barker, P.A., DeDeckker, P., Last, W., & Jelcic, L. (1994). "The Holocene history of West Basin Lake, Victoria, Australia - chemical changes based on fossil biota and sediment mineralogy." *Journal of Paleolimnology* 12: 235-258.
- 182 Gell, P. A., Stuart, I-M, & Smith, J.D. (1993). "The response of vegetation to changing fire regimes and human activity in East Gippsland, Victoria, Australia." *Holocene* 3(2): 150-160.
- 183 Gillespie, R., Horton, D.R., Ladd, P.G., Macumber, P.G., Rich, T.H., & Wright, R.V.S. (1978). "Lancefield Swamp and the extinction of the Australian megafauna." *Science* 200: 1044-1048.
- 184 Gillieson, D., Gorecki, P., Head, J., & Hope, G.S. (1987). Soil erosion and agricultural history in the Central Highlands of Papua New Guinea. *International Geomorphology 1986*. V. Gardiner. 2.
- 185 Gillieson, D., Hope, G.S., & Luly, J. (1989). Environmental change in the Jimi Valley. A Crack in the Spine. P. G. Gorecki, D. Townsville, Division of Anthropology, University of North Queensland: 105-122.
- 187 Goodfield, M. L. (1983). A Holocene pollen analytical study of Lake Eacham, Atherton Tableland, north-east Queensland. Department of Geography. Melbourne, Monash.
- 188 Gore, D. B., Colhoun, E.A., & Bell, K. (1994). "Derived constituents in the Glacial sediments of the Vestfold Hills, East Antarctica." *Quaternary Science Reviews*. 13(3): 301-307.
- 189 Green, D., Singh, G., Polach, H., Moss, D., Banks, D., & Geissler, E.A. (1988). "A fine resolution palaeoecology and palaeoclimatology from southeastern Australia." *Journal of Ecology* 76: 790-806.

- 190 Green, N., Caldwell, J., Hope, J., & Luly, J. (1983). "Pollen from an 1800 year old stick-nest rat (*Leporillus* sp.) midden from Gnalta, western New South Wales." *Quaternary Australasia* 1: 31-44.
- 191 Gremmen, W. H. E. (1992). "Palynological investigations in the Danau Tempe depression, southwest Sulawesi (Celebes), Indonesia." *Modern Quaternary Research in South East Asia*. 11.
- 192 Grindrod, J. (1979). Frozen sediments from a tropical lake: a palaeoecological study of Lake Eacham, north-east Queensland. Department of Geography. Melbourne, Monash.
- 193 Grindrod, J. (1985). "The palynology of mangroves on a prograded shore, Princess Charlotte Bay, North Queensland, Australia." *Journal of Biogeography*. 12: 323-348.
- 194 Grindrod, J. (1988). "The palynology of Holocene mangrove and saltmarsh sediments, particularly in Northern Australia." *Review of Palaeobotany and Palynology* 55: 229-245.
- 195 Grindrod, J. (1988). Holocene mangrove history of the South Alligator River estuary, Northern Territory, Australia. Department of Biogeography & Geomorphology. Canberra, Australian National University.
- 196 Grindrod, J., & Rhodes, E.G. (1984). Holocene sea-level history of a tropical estuary: Missionary Bay, North Queensland. *Coastal Geomorphology in Australia*. B. G. Thom. New York, Academic Press.
- 197 Grindrod, J., Moss, P., & van der Kaars, S. (1999). "Late Quaternary cycles of mangrove development and decline on the north Australian continental shelf." *Journal of Quaternary Science*. 14(5): 465-470.
- 198 Grubb, E. A. A. (1978). "Stratigraphy, palynology and implications of organic bands in a small Quaternary basin, near Palmer, South Australia." *Transactions of the Royal Society of South Australia*. 102: 117-123.
- 199 Gupta, H. P. (1971). "Quaternary vegetational history of Ootacamund, Nilgiris, South India. 1. Katathope and Rees Corner." *Palaeobotanist* 20(1): 74-90.
- 200 Gupta, H. P. (1978). "Holocene palynology from Meander Lake in the Ganga Valley, District Pratapgarh, Uter Pradesh." *Palaeobotanist* 25: 109-119.
- 201 Gupta, H. P. (1981). "Palaeoenvironments during Holocene time in the Bengal Basin, India as reflected by palynostratigraphy." *Palaeobotanist* 27(2): 138-160.
- 202 Gupta, H. P., & Prasad, K. (1985). "The vegetational development during 30, 000 years B.P. at Colgrain, Ootacamund, Nilgiris, South India." *Journal of Palynology* 21: 174-187.
- 203 Haberle, S. G. (1993). "Late Quaternary Environmental history of the Tari Basin, Papua New Guinea." *Palaeogeography Palaeoclimatology Palaeoecology* 137(1-2): 1-24.
- 204 Haberle, S. G. (1994). Anthropogenic indicators in pollen diagrams: problems and prospects for late Quaternary palynology in New Guinea. *Tropical Archaeobotany*. J. Hather. London, Routledge: 172-201.
- 205 Haberle, S. G. (1994). Pleistocene vegetation change and early human occupation of a tropical mountainous environment. *Sahul in Review; Occasional papers in Prehistory*. M. A. Smith, et al. Canberra, Department of Prehistory: 109-122.
- 206 Haberle, S. G. (1996). "Explanations for palaeoecological changes on the northern plains of Guadalcanal, Solomon Islands: the last 3200 years." *Holocene* 6(3): 333-338.
- 207 Haberle, S. G. (1996). "Palaeoenvironmental changes in the eastern highlands of Papua New Guinea." *Archaeology in Oceania*. 31(1): 1-11.
- 209 Haberle, S. G., Hope, G.S., & DeFretes, Y. (1991). "Environmental change in the Baliem Valley, montane Irian Jaya, Republic of Indonesia." *Journal of Biogeography*. 18: 25-40.
- 210 Haberle, S. G., Hope, G.S., & van der Kaars, S. (2001). "Biomass burning in Indonesia and Papua New Guinea: natural and human induced fire events in the fossil record." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 259-268.
- 211 Hannan, D. G., & Colhoun, E.A. (1987). "Glacial stratigraphy of the Upper Mersey Valley, Tasmania." *Australian Geographical Studies* 25: 36-46.

- 212 Hargreaves, G. (1977). Vegetation dynamics of Echo Flat, Lake Mountain, Victoria. Melbourne, University of Melbourne.
- 213 Harle, K. J. (1989). Palaeoenvironments of the Mt. Anne region in South western Tasmania. Geography. Melbourne, Monash.
- 214 Harle, K. J. (1997). "Late Quaternary vegetation and climate change in southeastern Australia: palynological evidence from marine core E55-6." *Palaeogeography Palaeoclimatology Palaeoecology* 131(3-4): 465-483.
- 215 Harle, K. J., Britton, K., Heijnis, H., Zawadzki, A., & Jenkinson, A.V. (2002). "Mud, mines and rainforest: a short history of human impact in western Tasmania, using pollen, trace metals and lead-210." *Australian Journal of Botany* 50: 481-497.
- 216 Harle, K. J., Hodgson, D.A., & Tyler, P.A. (1999). "Palynological evidence for Holocene palaeoenvironments from the lower Gordon River Valley, in the World Heritage area of southwest Tasmania." *Holocene* 9(2): 149-162.
- 217 Harle, K. J., Kershaw, A.P., & Heijnis, H. (1999). "The contributions of uranium/thorium and marine palynology to the dating of the Lake Wangoom pollen record, western plains of Victoria, Australia." *Quaternary International* 57(8): 25-34.
- 218 Harle, K. J., Kershaw, A.P., Macphail, M.K., & Neyland, M.G. (1993). "Palaeoecological analysis of an isolated stand of *Nothofagus cunninghamii* (Hook.) Oerst. in eastern Tasmania." *Australian Journal of Ecology* 18(2): 161-170.
- 219 Harris, W. F. (1951). "Progress report on pollen statistics from Pyramid Valley Swamp." *Records of the Canterbury Museum* 6: 279-290.
- 220 Harris, W. F. (1961). "Samples from buried peat, Te Maraeroa." *New Zealand Department of Sci. Industr. Res. Bulletin* 137: 78-86.
- 221 Harris, W. F., & Mildenhall, D.C. (1980). "Species lists and pollen counts from the Wallaceville (Mangaroa) Swamp and Taifa." *Palaeontology* 33: 8.
- 222 Harris, W. F., et. al. (1951). "Unravelling forest history in New Zealand - a symposium." *New Zealand Science Review* 9(1-2): 5-14.
- 223 Haseldonckx, P. (1977). "The palynology of a Holocene marginal peat swamp environment in Johore, Malaysia." *Review of Palaeobotany and Palynology* 24: 227-238.
- 225 Head, L. (1983). "Environment as artefact: a geographic perspective on the Holocene occupation of Southwestern Victoria." *Archaeology in Oceania*. 18: 73-80.
- 226 Head, L. (1985). "Further discussion of *Phyllocladus* and its pollen in Victoria during the Holocene." *Australian Journal of Ecology* 10: 73-76.
- 227 Head, L. (1985). "Pollen analysis of sediments from the Bridgewater Caves archaeological site, southwestern Australia." *Australian Archaeology* 20: 1-15.
- 228 Head, L. (1987). "The Holocene prehistory of a coastal wetland system: Discovery Bay, southeastern Australia." *Human Ecology* 15: 435-462.
- 229 Head, L. (1988). "Holocene vegetation, fire and environmental history of the Discovery Bay region, southwestern Victoria." *Australian Journal of Ecology* 13: 21-49.
- 230 Head, L. (1989). "Using palaeoecology to date Aboriginal fishtraps at Lake Condah, Victoria." *Archaeology in Oceania*. 24: 110-115.
- 231 Head, L., & Stuart, I.M.F. (1980). "Change in the Aire: palaeoecology and prehistory in the Aire Basin, southwestern Victoria." *Monash Publications in Geography*. 24: 1-97.
- 232 Heusser, L. E., & van der Geer, G. (1994). "Direct correlation of terrestrial and marine paleoclimatic records from four Glacial-Interglacial cycles - DSDP Site 594, Southwest Pacific." *Quaternary Science Reviews*. 13(3): 273-282.
- 233 Hill, R. S., & Macphail, M.K. (1985). "A fossil flora from dated Plio-Pleistocene mudstones at Regatta Point, Tasmania." *Australian Journal of Botany* 33: 497-517.

- 234 Hill, R. S., Colhoun, E.A., & van de Geer, G. (1988). The Forth and Mersey Valleys. Cainozoic vegetation in Tasmania. E. A. Colhoun. Newcastle, University of Newcastle.
- 235 Hooley, A. D., Southern, W., & Kershaw, A.P. (1980). "Holocene vegetation and environments of Sperm Whale Head, Victoria, Australia." *Journal of Biogeography*. 7: 349-362.
- 236 Hope, G. S. (1974). "The vegetation history from 6, 000 B.P. to Present of Wilsons Promontory, Victoria, Australia." *New Phytologist*. 73: 1035-1053.
- 237 Hope, G. S. (1976). "The vegetational history of Mt. Wilhelm, Papua New Guinea." *Journal of Ecology* 64: 627-664.
- 238 Hope, G. S. (1978). "The Late Pleistocene and Holocene vegetational history of Hunter Island, north-western Tasmania." *Australian Journal of Botany* 26: 493-514.
- 239 Hope, G. S. (1979). Historical influences on the New Guinea flora. *The Alpine Flora of New Guinea*. P. van Royen. 1: 223-248.
- 240 Hope, G. S., Sun, X. Liew, P-M., Kershaw, A.P., van der Kaars, W.A., Takahara, H., McGlone, M., Heusser L.E. & Miyoshi, N. 2004. History of vegetation and habitat change from the PEP II transect. PEP II transect Volume, eds J.R. Dodson and D. Taylor *Quaternary International* 118-119: 103-126.
- 241 Hope, G. S. (1982). Pollen from archaeological sites: a comparison of swamp and open archaeological site pollen spectra at Kosipe Mission, Papua New Guinea. *Archaeometry: An Australian Perspective*. W. Ambrose, & Duerden, P. Canberra, Australian National University.
- 242 Hope, G. S. (1983). "The vegetational changes of the last 20, 000 years at Telefomin, Papua New Guinea." *Singapore Journal of Tropical Geography*. 4: 25-33.
- 243 Hope, G. S. (1996). A report on the environment of Mt.Scabby and palaeoecological analyses of swamp and stone arrangement sediments. Canberra, ACT National Parks and Wildlife Service.
- 244 Hope, G. S. (1996). History of *Nothofagus* in New Guinea and New Caledonia. *The Ecology and Biogeography of Nothofagus Forest*. T. T. Veblen, et al. New Haven, Yale University Press: 257-270.
- 245 Hope, G. S. (1998). "Early fire and forest change in the Baliem Valley, Irian Jaya, Indonesia." *Journal of Biogeography*. 25(3): 453-461.
- 246 Hope, G. S. (1999). "Vegetation and fire response to late Holocene human occupation in island and mainland north west Tasmania." *Quaternary International* 59: 47-60.
- 247 Hope, G. S. (2001). "Environmental change in the Late Pleistocene and later Holocene at Wanda site, Soroako, South Sulawesi, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 129-145.
- 248 Hope, G. S., & Anderson, A.J. (1995). A reconnaissance survey of Holocene deposits on Viti Levu and Vanua Levu, Fiji., National Museum, Fiji.
- 249 Hope, G. S., & Gillieson, D. (1990). *Palaeoenvironments. Children of Afek*. B. Craig, & Hyndman D. (eds.), Chicago, University of Chicago: 27-34.
- 250 Hope, G. S., & Golson, J. (1995). "Late Quaternary change in the mountains of New Guinea." *Antiquity* 69: 818-830.
- 251 Hope, G. S., & Kodela, P.G. (1992). *Wingecarribee Swamp: Statement of Significance.*, New South Wales National Trust.
- 252 Hope, G. S., & O'Dea, D. (1997). A pollen diagram from Obi Island, Maluku, Indonesia.
- 253 Hope, G. S., & Pask, J. (1998). "Tropical vegetational change in the Late Pleistocene of New Caledonia." *Palaeogeography Palaeoclimatology Palaeoecology* 142(1-2): 1-21.
- 254 Hope, G. S., & Peterson, J.A. (1975). Glaciation and vegetation in the high New Guinea mountains. *Quaternary Studies*. R. P. Suggate, & Cresswell, M.M., *Royal Society of New Zealand Bulletin*. 13: 5-162.
- 255 Hope, G. S., & Peterson, J.A. (1976). *Palaeoenvironments. The Equatorial Glaciers of New Guinea*. G. S. Hope, Peterson, J.A., Allison, I., & Radok, U. Rotterdam, A.A.Balkema: 173-205.

- 256 Hope, G. S., & Spriggs, M.T. (1982). "A preliminary pollen sequence from Aneityum Island, southern Vanuatu." *Indo-Pacific Prehistory Association Bulletin* 3: 88-94.
- 257 Hope, G. S., & Tulip, J. (1994). "A long vegetation history from Irian Jaya, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 109(2-4): 385-398.
- 258 Hope, G. S., Coddington, J., & O'Dea, D. (200x). Estuarine development and human occupation at Bobundara Swamp, Tilba Tilba, New South Wales, Australia. *Wetlands Archaeology and Environments: Regional Issues, Global Perspective*. M. Lillie. London, Routledge.
- 259 Hope, G. S., Gillieson, D., & Head, J. (1988). "A comparison of sedimentation and environmental change in New Guinea shallow lakes." *Journal of Biogeography*. 15: 603-618.
- 260 Hope, G. S., Hughes, P.J., & Russell-Smith, J. (1985). Geomorphological fieldwork and the evolution of the landscape of Kakadu National Park. *Archaeological Research in Kakadu National Park*. R. Jones. Canberra, Australian National Parks and Wildlife Publication. 13: 229-240.
- 261 Hope, G. S., O'Dea, D., & Southern, W. (1998). Holocene vegetation histories in the Western Pacific - alternative records of human impact. *Le Pacifique de 5000...2000 avant le present. Suppléments.. l'histoire d'une colonisation. The Pacific from 5000 to 2000 BP. Colonisation and transformations. I*. Lilley, & Galipaud, J-C., l'ORSTOM, Port Vila.
- 262 Hopf, F. V. L., Colhoun, E.A., & Barton, C.E. (2000). "Late-Glacial and Holocene record of vegetation and climate from Cynthia Bay, Lake St.Clair, Tasmania." *Journal of Quaternary Science*. 15(7): 725-732.
- 263 Horrocks, M., & Ogden, J. (1994). "Modern pollen spectra and vegetation of Mt.Hauhungatahi, central North Island, New Zealand." *Journal of Biogeography*. 21(6): 637-649.
- 264 Horrocks, M., & Ogden, J. (1998). "Fine resolution palynology of Erua Swamp, Tongaririo, New Zealand, since the Taupo Tephra eruption of c.1718 BP." *New Zealand Journal of Botany* 36(2): 285-293.
- 265 Horrocks, M., & Ogden, J. (1998). "Fine resolution palynology of Gibsons Swamp, central North Island, New Zealand, since c.13, 000 BP." *New Zealand Journal of Botany* 36(2): 273-283.
- 266 Horrocks, M., & Ogden, J. (1998). "The effects of the Taupo Tephra eruption of c.1718 BP on the vegetation of Mt.Hauhungatahi, central North Island, New Zealand." *Journal of Biogeography*. 25(4): 649-660.
- 267 Horrocks, M., & Ogden, J. (2000). "Evidence for Late Glacial Holocene tree-line fluctuations from pollen diagrams from the subalpine zone on Mt.Hauhungatahi, Tongariro National Park, New Zealand." *Holocene* 10(1): 61-73.
- 268 Horrocks, M., Deng, Y., Odgen, J., & Sutton, D.G. (2000). "A reconstruction of the history of a Holocene sand dune on Great Barrier Island, northern New Zealand, using pollen and phytolith analyses." *Journal of Biogeography*. 27(6): 1269-1277.
- 269 Horrocks, M., Jones, M.D., Carter, J.A., & Sutton, D.G. (2000). "Pollen and phytoliths in stone mounds at Pouerua, Northland, New Zealand: Implications for the study of Polynesian farming." *Antiquity* 74(286): 863-872.
- 270 Horrocks, M., Nichol, S.L., & Shane, P.A. (2002). "A 6, 000 year palaeoenvironmental record from Harataonga, Great Barrier Island, New Zealand." *New Zealand Journal of Botany* 40(1): 123-135.
- 271 Horrocks, M., Nichol, S.L., Gregory, M.R., Creese, R., & Augustinus, P.C. (2001). "A Holocene pollen and sediment record of Whangape Harbour, far northern New Zealand." *Journal of the Royal Society of New Zealand* 31(2): 411-424.
- 272 Horrocks, M., Ogden, J., Nichol, S.L., Alloway, B.V., & Sutton, D.G. (2000). "The palynology sedimentology of a coastal swamp at Awana, Great Barrier Island, New Zealand from c.7000 yr BP to present." *Journal of the Royal Society of New Zealand* 29(3): 213-233.
- 273 Horrocks, M., Ogden, J., Nichol, S.L., Alloway, B.V., & Sutton, D.G. (2000). "Palynology, sedimentology and environmental significance of Holocene swamps at northern Kaitoke, Great Barrier Island, New Zealand." *Journal of the Royal Society of New Zealand* 30(1): 27-47.

- 274 Horrocks, M., Ogden, J., Nichol, S.L., Alloway, B.V., & Sutton, D.G. (2000). "A Late Quaternary palynological and sedimentological record from two coastal swamps at southern Kaitoke, Great Barrier Island, New Zealand." *Journal of the Royal Society of New Zealand* 30(1): 49-68.
- 275 Hotchkiss, S. C. (1998). Late Quaternary climate history from Hawaiian pollen records., University of Minnesota.
- 276 Hotchkiss, S. C., & Juvik, J.O. (1999). "A Late Quaternary pollen diagram from Ka'au crater, O'ahu, Hawai'i." *Quaternary Research* 52(1): 115-128.
- 277 Howard, T. M., & Hope, G.S. (1970). "The present and past occurrence of Beech (*Nothofagus cunninghamii* Oerst.) at Wilsons Promontory, Victoria, Australia." *Proceedings of the Royal Society of Victoria* 83(2): 199-210.
- 278 James, F. (1986). The Late Quaternary vegetational history from Danau Bento, a montane site near Gunung Kerinci in central Sumatra. Hull, University of Hull.
- 279 Jelcic, L. (1988). A palaeoecological investigation of Holocene sediments from West Basin, Western Plains of Victoria. Geography. Melbourne, Monash.
- 280 Jenkins, M. A. (1992). A Late Holocene vegetation record from an interdunal swamp, Mornington Peninsula, Victoria. Geography and Environmental Science. Melbourne, Monash.
- 281 Johnson, A. G. (1994). "Late Holocene environmental changes on Kurnell Peninsula, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 114: 119-132.
- 282 Johnson, A. G. (2000). "Fine resolution palaeoecology confirms anthropogenic impact during the Late Holocene in the lower Hawkesbury Valley, New South Wales." *Australian Geographer* 31(2): 209-235.
- 283 Johnson, P. N. (1978). "Holocene plant remains from the shores of Lake Manapouri, New Zealand." *New Zealand Journal of Botany* 16: 141-145.
- 284 Jones, R. L. (1990). "Late Holocene vegetational changes on the Illawarra Coastal Plain, New South Wales, Australia." *Review of Palaeobotany and Palynology* 65: 37-46.
- 285 Jordan, G. J., Carpenter, R.J., & Hill, R.S. (1991). "Late Pleistocene vegetation and climate near Melaleuca Inlet, South Tasmania." *Australian Journal of Botany* 39: 315-333.
- 286 Jordan, G. J., Macphail, M.K., Barnes, R., & Hill, R.S. (1995). "An Early to Middle Pleistocene flora of subalpine affinities in lowland western Tasmania." *Australian Journal of Botany* 43(2): 231-242.
- 287 Joyce, L. J. (1979). The Late Quaternary history of Caledonia Fen, Snowy Plains region, central-eastern Victoria. Melbourne, Monash.
- 288 Kajale, M. D., & Deotare, B.C. (1997). "Late Quaternary environmental studies on salt lakes in western Rajasthan, India - A summarised view." *Journal of Quaternary Science*. 12(5): 405-412.
- 289 Kealhofer, L., & Penny, D. (1998). "A combined pollen and phytolith record for 14, 000 years of vegetation change in Northeastern Thailand." *Review of Palaeobotany and Palynology* 103(1-2): 83-93.
- 290 Kemp, J. (1994). Pleistocene-Holocene transition in southern New South Wales. Geography. Canberra, Australian National University.
- 291 Kenyon, C. E. (1989). A late Pleistocene and Holocene palaeoecological record from Boulder Flat, East Gippsland. Botany and Zoology. Melbourne, Monash.
- 292 Kershaw, A. P. (1970). "A pollen diagram from Lake Euramoo, north-east Queensland, Australia." *New Phytologist*. 69: 785-805.
- 293 Kershaw, A. P. (1971). "A pollen diagram from Quincan Crater, north-east Queensland, Australia." *New Phytologist*. 70: 669-681.
- 294 Kershaw, A. P. (1974). "A long continuous pollen sequence from north-east Australia." *Nature* 251(5472): 222-223.
- 295 Kershaw, A. P. (1975). "Stratigraphy and pollen analysis of Bromfield Swamp, north eastern Queensland, Australia." *New Phytologist*. 75: 173-191.

- 296 Kershaw, A. P. (1976). "A Late Pleistocene and Holocene pollen diagram from Lynch's Crater, north eastern Queensland, Australia." *New Phytologist*. 77: 469-498.
- 297 Kershaw, A. P. (1978). "Record of last Interglacial-Glacial cycle from northeastern Queensland." *Nature* 272: 159-161.
- 298 Kershaw, A. P. (1979). "Local pollen deposition in aquatic sediments on the Atherton Tableland, north-eastern Australia." *Australian Journal of Ecology* 4: 253-263.
- 299 Kershaw, A. P. (1983). "A Holocene pollen diagram from Lynch's Crater, north-eastern Queensland, Australia." *New Phytologist*. 94: 669-682.
- 300 Kershaw, A. P. (1986). "Climatic change and Aboriginal burning in north-east Australia during the last two glacial/interglacial cycles." *Nature* 322: 47-49.
- 301 Kershaw, A. P. (1994). "Pleistocene vegetation of the humid tropics of northeastern Queensland, Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 109(2-4): 399-412.
- 302 Kershaw, A. P., & Bulman, D. (1994). "The relationship between modern pollen samples and environment in the humid tropics region of northeastern Australia." *Review of Palaeobotany and Palynology* 83(1-3): 83-96.
- 303 Kershaw, A. P., & Bulman, D. (1996). "A preliminary application of the analogue approach to the interpretation of Late Quaternary pollen spectra from southeastern Australia." *Quaternary International* 33: 61-71.
- 304 Kershaw, A. P., & Green, J.E. (1983). "Tawonga Bog revisited: the history of a low altitude peat deposit." *Victorian Naturalist* 100: 256-259.
- 305 Kershaw, A. P., & Sluiter, I.R. (1982). "Late Cenozoic pollen spectra from the Atherton Tableland, north eastern Australia." *Australian Journal of Botany* 30: 279-295.
- 306 Kershaw, A. P., & Strickland, K.M. (1988). "A Holocene pollen diagram from Northland, New Zealand." *New Zealand Journal of Botany* 26: 145-152.
- 307 Kershaw, A. P., & Strickland, K.M. (1989). The development of alpine vegetation on the Australian mainland. *The Scientific Significance of the Australian Alps*. R. Good, The Australian Alps National Liaison Committee and Australian Academy of Science.: 113-126.
- 308 Kershaw, A. P., Baird, J.G., et al (1991). A comparison of long Quaternary records from the Atherton Tablelands and Western Plains volcanic provinces. *The Cainozoic of the Australian region: a re-evaluation of the evidence*. M. A. J. Williams, et al, Geological Society of Australia.: 288-301.
- 309 Kershaw, A. P., D'Costa, D.M., McEwen Mason, J.C.R., & Wagstaff, B.E. (1991). "Palynological evidence for Quaternary vegetation and environments of mainland southeastern Australia." *Quaternary Science Reviews*. 10: 391-404.
- 310 Kershaw, A. P., Dunkerley, D.L., Quinn, M., & Southern, W. (1979). A scientific and environmental investigation of Jackson's Bog, southern tablelands of New South Wales., National Parks and Wildlife Service of New South Wales.
- 311 Kershaw, A. P., McKenzie, G.M., & McMinn, A. (1993). A Quaternary vegetation history of north eastern Queensland from pollen analysis of ODP Site 820. *Proceedings of the Ocean Drilling Program, Scientific Results*. J. A. McKenzie, et al. College Station, Texas, Ocean Drilling Program. 133: 107-114.
- 312 Khandelwal, A. (1991). "Holocene history of mangrove vegetation in India: a palynological interpretation." *Palaeobotanist* 40: 383-392.
- 313 Kirch, P. V. (1983). "Man's role in modifying tropical and subtropical Polynesian ecosystems." *Archaeology in Oceania*. 18: 26-31.
- 314 Kirch, P. V., & Ellison, J. (1994). "Palaeoenvironmental evidence for human colonization of remote oceanic islands." *Antiquity* 68(259): 310-321.
- 315 Kodela, P. G. 1997. Environmental change in the Robertson area, NSW. Unpublished thesis, University of New South Wales

- 316 Kodela, P. G. (1990). "Modern pollen rain from forest communities on the Robertson Plateau, New South Wales." *Australian Journal of Botany* 38: 1-24.
- 317 Kodela, P. G. (1990). "Pollen-tree relationships within forests of the Robertson-Moss Vale region, New South Wales, Australia." *Review of Palaeobotany and Palynology* 64(1-4): 273-279.
- 318 Kodela, P. G. (1992). "Rainforest, pollen and palaeoecological studies in the Robertson area." *Eucryphia* 5: 5-8.
- 319 Kodela, P. G., & Dodson, J.R. (1988). "A Late Holocene vegetation and fire record from Ku-ring-gai Chase National Park, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 110(4): 317-326.
- 321 Kotlia, B. S., Bhalla, M.S., Sharma, C., Rajagopalan, G., Ramesh, R., Chauhan, M.S., Mathur, P.D., Bhandari, S., & Chacko, S.T. (1997). "Palaeoclimatic conditions in the Upper Pleistocene and Holocene, Bhimtal-Naukuchiatal Lake Basin in south-central Kumaun, North India." *Palaeogeography Palaeoclimatology Palaeoecology* 130(1-4): 307-322.
- 322 Kuo, C.-M., & Liew, P.-M. (2000). "Vegetational history and climatic fluctuations based on pollen analysis of Tousse peat bog, Central Taiwan since the last glacial maximum." *Journal of the Geological Society of China* 43: 379-392.
- 323 Ladd, P. G. (1971). A pollen diagram from Five Mile Beach Swamp, Wilson's Promontory. Melbourne, University of Melbourne.
- 324 Ladd, P. G. (1976). "Past and present vegetation of the Lancefield area, Victoria." *The Artefact* 1(3): 113-127.
- 325 Ladd, P. G. (1978). "Vegetation and climatic history on the Delegate River in eastern Victoria, and its relation to some other pollen sites ." *Australian Quaternary Newsletter* 12: 34-35.
- 326 Ladd, P. G. (1978). "Vegetation history at Lake Curlip in lowland eastern Victoria, from 5200 BP to Present." *Australian Journal of Botany* 26: 393-414.
- 327 Ladd, P. G. (1979). "A Holocene vegetation record from the eastern side of Wilsons Promontory, Victoria." *New Phytologist*. 82: 265-276.
- 328 Ladd, P. G. (1979). "A short pollen diagram from rainforest in highland eastern Victoria." *Australian Journal of Ecology* 4: 229-237.
- 329 Ladd, P. G. (1979). "Past and present vegetation of the Delegate River in the highlands of eastern Victoria. 1. Present vegetation." *Australian Journal of Botany* 27: 167-184.
- 330 Ladd, P. G. (1979). "Past and present vegetation on the Delegate River in the highlands of eastern Victoria.2. Vegetation and climatic history from 12, 000 B.P. to Present." *Australian Journal of Botany* 27: 185-202.
- 331 Ladd, P. G., Orchiston, D.W., & Joyce, E.B. (1992). "Holocene vegetation history of Flinders Island." *New Phytologist*. 122: 757-767.
- 332 Lang, P. J. (1978). Pollen analysis of swamp sediments in the Mount Lofty Ranges, South Australia. Adelaide, University of Adelaide.
- 333 Lees, C. M. (1986). "Late Quaternary palynology of the Southern Rahine Range, North Island, New Zealand." *New Zealand Journal of Botany* 24: 315-329.
- 334 Lees, C. M., & Neall, V.E. (1993). "Vegetation response to volcanic eruptions on Egmont Volcano, New Zealand during the last 1500 years." *Journal of the Royal Society of New Zealand* 23(2): 91-127.
- 335 Lees, C. M., et. al. (1997). "Late Quaternary palynology at Limestone Downs, Coastal Waikato, North Island, New Zealand." unpublished.
- 336 Lees, C. M., Neall, V.E., & Palmer, A.S. (1998). "Forest persistence at coastal Waikato: 24, 000 years BP to Present." *Journal of the Royal Society of New Zealand* 28(1): 55-81.
- 337 Lewis, K. B., Mildenhall, D.C., & Clowes, C.D. (1985). "The Late Quaternary seismic, sedimentary and palynological stratigraphy beneath Evans Bay, Wellington Harbour." *New Zealand Journal of Geology and Geophysics* 28: 129-152.



- 338 Liew, P.-M. (1991). "Pleistocene cool stages and geological changes of western Taiwan based on palynological study." *Acta Geologica Taiwanica* 29: 21-32.
- 339 Liew, P.-M., & Huang, S.-Y. (1994). "A 5000 year pollen record from Chitsai Lake, Central Taiwan." *Terrestrial, Atmospheric and Oceanic Sciences* 5(3): 411-419.
- 340 Lintott, W. H., & Burrows, C.J. (1973). "A pollen diagram and macrofossils from Kettlehole Bog, Cass, South Island, New Zealand." *New Zealand Journal of Botany* 11: 269-282.
- 341 Litchfield, W. H. (1975). "Palynological studies in Brigalow (*Acacia harpophylla* F.Muell) communities: pollen analysis in Gilgai soil under the primary forest." *Australian Journal of Botany* 23: 355-371.
- 342 Lloyd, P. J., & Kershaw, A.P. (1997). "Late Quaternary vegetation and early Holocene quantitative climate estimates from Morwell Swamp, Latrobe Valley, southeastern Australia." *Australian Journal of Botany* 45(3): 549-563.
- 343 Longmore, M. E. (1997). "Quaternary palynological records from perched lake sediments, Fraser Island, Queensland, Australia: rainforest, forest history and climatic control." *Australian Journal of Botany* 45(3): 507-526.
- 344 Longmore, M. E., & Heijnis, H. (1999). "Aridity in Australia: Pleistocene records of palaeohydrological and palaeoecological change from the perched lake sediments of Fraser Island, Queensland, Australia." *Quaternary International* 57-8: 35-47.
- 345 Longmore, M. E., O'Leary, B.M., & Rose, C.W. (1983). "Caesium-137 profiles in the sediments of a partical meromictic lake on Great Sandy Island (Fraser Island), Queensland, Australia." *Hydrobiologia* 103: 21-27.
- 346 Luly, J. G. (1993). "Holocene palaeoenvironments near Lake Tyrrell, semi-arid northwestern Victoria, Australia." *Journal of Biogeography*. 20(6): 587-598.
- 347 Luly, J. G. (1997). "Modern pollen dynamics and surficial sedimentary processes at Lake Tyrrell, semi-arid northwestern Victoria, Australia." *Review of Palaeobotany and Palynology* 97(3-4): 301-318.
- 348 Macphail, M. K. (1973). "Pollen analysis of a buried organic deposit on the backshore at Fingal Bay, Port Stephens, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 98(4): 222-233.
- 349 Macphail, M. K. (1975). "Late Pleistocene Environments in Tasmania." *Search* 6(7): 295-300.
- 350 Macphail, M. K. (1975). The history of the vegetation and climate in southern Tasmania since the Late Pleistocene ( ca. 13000 - 0 BP). Unpub. PhD thesis, BotanyUniversity of Tasmania.
- 351 Macphail, M. K. (1981). "Vegetation and climates in Southern Tasmania since the last Last Glaciation." *Quaternary Research* 11: 306-341.
- 352 Macphail, M. K. (1984). "Small-scale dynamics in an Early Holocene wet sclerophyll forest in Tasmania." *New Phytologist*. 96: 131-147.
- 353 Macphail, M. K. (1985). Over the Top - pollen based reconstructions of past alpine floras and vegetation in Tasmania. *Flora and Fauna of Alpine Australasia: ages and origins*. B. A. Barlow: 173-203.
- 354 Macphail, M. K. (1994). "A Holocene pollen sequence from Tarraleah and a first reconstruction of the postglacial vegetation history in the central Plateau, Tasmania."
- 355 Macphail, M. K., & Colhoun, E.A. (1985). "Late last Glacial vegetation, climates and fire activity in southwest Tasmania." *Search* 16: 1-2.
- 356 Macphail, M. K., & Hill, R.S. (1985). "A fossil flora from rafted Plio-Pleistocene mudstones at Regatta Point, Tasmania." *Australian Journal of Botany* 33: 497-517.
- 357 Macphail, M. K., & Hope, G.S. (1984). "Late Holocene mire development in montane southeastern Australia: a sensitive climatic indicator." *Search* 15(11-12): 344-349.
- 358 Macphail, M. K., & Hope, G.S. (1997). Palynological report, Core site KCA, Kingston Swamp, Norfolk Island., Australian Heritage Commission.

- 359 Macphail, M. K., & Jackson, W.D. (1978). "The Late Pleistocene and Holocene history of the Midlands of Tasmania, pollen evidence from Lake Tiberias." *Proceedings of the Royal Society of Victoria* 90(2): 287-300.
- 360 Macphail, M. K., & Neale, J. (1996). *Kingston Swamp, Norfolk Island: a unique natural archive of SW Pacific prehistory?*, Australian Heritage Commission.
- 361 Macphail, M. K., Higginbotham, E., & Davey, B.G. (1988). "An early colonial garden landscape at Sydney Cove: pollen and soil." *Search* 19(3): 141-144.
- 362 Macphail, M. K., Hope, G.S., & Anderson, A. (2001). "Polynesian plant introductions in the Southwest Pacific: Initial pollen evidence from Norfolk Island." *Records of the Australian Museum* 27: 123-134.
- 363 Maloney, B. K. (1980). "Pollen analytical evidence for early forest clearance in North Sumatra." *Nature* 287: 324-326.
- 364 Maloney, B. K. (1981). "A pollen diagram from Tao Sipinggan, a lake site in the Batak Highlands of North Sumatra, Indonesia." *Modern Quaternary Research in South East Asia*. 6: 57-76.
- 365 Maloney, B. K. (1991). Palaeoenvironments of Khok Phanom Di: the pollen, Pteridophyte spore and microscopic charcoal record. *The Excavation of Khok Phanom Di, a Prehistoric site in Central Thailand, vol. II: The Biological Remains (Part 1)*. C. F. W. Higham, & Bannanurag, R. London, Reports of the Research Committee of the Society of Antiquaries of London. XLVIII: 7-134.
- 366 Maloney, B. K. (1994). "Pea Bullok: a preliminary account of a 30, 000 year record of vegetation and climatic change from highland North Sumatra." *Quaternary Newsletter* 73: 7-14.
- 367 Maloney, B. K. (1995). "A brief reinterpretation of the pollen record from Khok Phanom Di, central Thailand, and its archaeological significance." *Antiquity* 69(264): 601-602.
- 368 Maloney, B. K. (1995). "Evidence for the Younger Dryas climatic event in Southeast Asia." *Quaternary Science Reviews*. 14(9): 949-958.
- 369 Maloney, B. K. (1998). "A 22, 000 year record of past environmental changes from Trang, south Thailand." *Bulletin of the Indo-Pacific Prehistory Association* 17: 54-55.
- 370 Maloney, B. K. (1999). "A 10, 600 year pollen record from Nong Thale Song Hong, changwat Trang, south Thailand." *Journal of the Siam Society* 86: 201-217.
- 371 Maloney, B. K., & Brown, J.M. (1986). "Changing environments and agricultural origins at Khok Phanom Di, Thailand: the pollen evidence from the Bang Pakong Valley, Thailand." *Antiquity* 63: 363-370.
- 372 Maloney, B. K., & McCormac, F.G. (1996). "Palaeoenvironments of North Sumatra: a 30, 000 year old pollen record from Pea Bullok, Sumatra." *Bulletin of the Indo-Pacific Prehistory Association* 14: 73-82.
- 373 Maloney, B. K., Higham, C.F.W., & Bannanurag, R. (1989). "Early rice cultivation in Southeast Asia: archeological and palynological evidence from the Bang Pakong Valley, Thailand." *Antiquity* 63: 363-370.
- 374 Markgraf, V., Bradbury, J.P., & Busby, J. (1996). "Paleoclimates in Southwestern Tasmania during the last 13000 years." *Palaios* 1: 368-380.
- 375 Martin, A. R. H. (1972). "The depositional environment of the organic deposits on the foreshore at North Deewhy, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 96(4): 278-281.
- 377 Martin, A. R. H. (1986). "Late Glacial and Holocene alpine pollen diagrams from the Kosciusko National Park, New South Wales, Australia." *Review of Palaeobotany and Palynology* 47: 367-409.
- 378 Martin, A. R. H. (1986). Late Glacial and Early Holocene vegetation of the alpine zone, Kosciusko National Park. *Flora and Fauna of Alpine Australia*. B. A. Barlow. Melbourne, CSIRO: 161-170.
- 379 Martin, A. R. H. (1986). Palaeoecology, palaeolimnology, palynology and coastal environments: areas of neglect in coastal studies in recent sediments in eastern Australia. *Marine through Terrestrial*. E. Frankel, et al, Geological Society of Australia.
- 380 Martin, A. R. H. (1992). "Vegetation and Treeline studies, Diggers Creek Mire, Kosciusko National Park." unknown.

- 381 Martin, A. R. H. (1994). "Kurnell Fen: an eastern Australian coastal wetland, its Holocene vegetation, relevant to sea-level change and Aboriginal land use." *Review of Palaeobotany and Palynology* 80(3-4): 311-332.
- 382 Martin, A. R. H. (1999). "Pollen analysis of Digger's Creek Bog, Kosciuszko National Park: vegetation history and tree-line change." *Australian Journal of Botany* 47(5): 725-744.
- 383 Martin, A. R. H., & Polach, H.A. (1983). Pollen analysis and dating of the supposed Late Glacial in Twynam NE Cirque, Kosciuszko National Park, 15 to 10 Ka. First CLIMANZ Conference 1981.
- 384 Martin, H. A. (1973). "Palynology and historical ecology of some cave excavations in the Australian Nullarbor." *Australian Journal of Botany* 21: 283-316.
- 385 Martin, H. A., & McMin, A. (1994). "A Late Cainozoic vegetation history of north-western Australia, from the palynology of a deep sea core ( ODP 765)." *Australian Journal of Botany* 42: 95-102.
- 386 Maxwell, A. L. (1999). Holocene environmental change in mainland Southeast Asia: Pollen and charcoal records from Cambodia., Louisiana State University.
- 387 Maxwell, A. L. (2001). "Holocene monsoon changes inferred from Lake sediment pollen and carbonate records, Northeastern Cambodia." *Quaternary Research* 56(3): 390-400.
- 388 McCarthy, L., & Head, L. (2001). "Holocene variability in semi-arid vegetation: new evidence from *Leporillus middens* from the Flinders Ranges, South Australia." *Holocene* 11(6): 681-689.
- 389 McCarthy, L., Head, L., & Quade, J. (1996). "Holocene palaeoecology of the northern Flinders Ranges, South Australia, based on stick-nest rat ( *Leporillus* spp.) middens - preliminary overview." *Palaeogeography Palaeoclimatology Palaeoecology* 123(1-4): 205-218.
- 390 McComb, J. A., & McComb, A.J. (1967). "A Preliminary account of the vegetation of Loch McNess, a swamp and fen formation in Western Australia." *Journal of the Royal Society of Western Australia*. 50: 105-112.
- 391 McEwen Mason, J. R. C. (1991). The Late Cainozoic magnetostratigraphy and preliminary palynology of Lake George, New South Wales. The Cainozoic in Australia: A Re-appraisal of the Evidence. M. A. J. Williams, DeDeckker, P., & Kershaw, A.P., Special Publication Geological Society of Australia. 18: 195-209.
- 392 McGlone, M. S. (1981). Forest fire following Holocene tephra. Proceedings of Tephra Workshop. R. Howorth, Froggatt, P., Vuletich, C.G., & Collen, J.D.
- 393 McGlone, M. S. (1983). "Holocene pollen diagrams, Lake Rotorua, North Island, New Zealand." *Journal of the Royal Society of New Zealand* 13(1-2): 53-65.
- 394 McGlone, M. S. (1983). "Polynesian deforestation of New Zealand: A preliminary synthesis." *Archaeology in Oceania*. 18: 11-25.
- 395 McGlone, M. S. (2001). "A Late Quaternary pollen record from marine core P69, southeastern North Island, New Zealand." *New Zealand Journal of Geology and Geophysics* 44(1): 69-77.
- 396 McGlone, M. S. (2002). "The Late Quaternary peat, vegetation and climate history of the southern oceanic islands of New Zealand." *Quaternary Science Reviews*. 21(4-6): 683-707.
- 397 McGlone, M. S., & Basher, L.R. (1995). "The deforestation of the upper Awatere catchment, inland Kaikoura range, Marlborough, South Island, New Zealand." *New Zealand Journal of Ecology* 19(1): 53-66.
- 398 McGlone, M. S., & Bathgate, J.L. (1983). "Vegetation and climate history of the Longwood Range, South Island, New Zealand: 12, 000 B.P. to the Present." *New Zealand Journal of Botany* 21: 293-315.
- 399 McGlone, M. S., & Meurk, C.D. (2000). "Modern pollen rain, subantarctic Campbell Island, New Zealand." *New Zealand Journal of Ecology* 24(2): 181-194.
- 400 McGlone, M. S., & Moar, N.T. (1977). "The *Ascarina* decline and post-glacial climatic change in New Zealand." *New Zealand Journal of Botany* 15: 485-489.
- 401 McGlone, M. S., & Moar, N.T. (1997). "Pollen-vegetation relationships on the subantarctic Auckland Islands, New Zealand." *Review of Palaeobotany and Palynology* 96(3-4): 317-338.

- 402 McGlone, M. S., & Moar, N.T. (1998). "Dryland Holocene vegetation history, central Otago and the Mackenzie Basin, South Island, New Zealand." *New Zealand Journal of Botany* 36(1): 91-111.
- 403 McGlone, M. S., & Neall, V.E. (1994). "The Late Pleistocene and Holocene vegetation history of Taranaki, North Island, New Zealand." *New Zealand Journal of Botany* 32(3): 251-269.
- 404 McGlone, M. S., & Topping, W.W. (1973). "Late Otiran/Early Aranuiian vegetation in the Tongariro area, central North Island, New Zealand." *New Zealand Journal of Botany* 11: 283-290.
- 405 McGlone, M. S., & Topping, W.W. (1977). "Aranuiian ( post-glacial) pollen diagrams from the Tongariro region, North Island, New Zealand." *New Zealand Journal of Botany* 15: 749-760.
- 406 McGlone, M. S., & Topping, W.W. (1983). "Late Quaternary vegetation, Tongariro region, central North Island, New Zealand." *New Zealand Journal of Botany* 21: 53-76.
- 407 McGlone, M. S., & Wilmshurst, J.M. (1999). "A Holocene record of climate, vegetation change and peat bog environment, east Otago, South Island, New Zealand." *Journal of Quaternary Science*. 14(3): 239-254.
- 408 McGlone, M. S., & Wilmshurst, J.M. (1999). "Dating initial Maori environmental impact in New Zealand." *Quaternary International* 59: 5-16.
- 409 McGlone, M. S., & Wilson, H.D. (1996). "Holocene vegetation and climate of Stewart Island, New Zealand." *New Zealand Journal of Botany* 34(3): 369-388.
- 410 McGlone, M. S., Howorth, R., & Pullar, W.A. (1984). "Late Pleistocene stratigraphy, vegetation and climate of the Bay of Plenty and Gisbourne region, New Zealand." *New Zealand Journal of Geology and Geophysics* 27: 327-350.
- 411 McGlone, M. S., Mark, A.F., & Bell, D. (1995). "Late Pleistocene and Holocene vegetation history, central Otago, South Island, New Zealand." *Journal of the Royal Society of New Zealand* 25(1): 1-22.
- 412 McGlone, M. S., Moar, N.T., Wardle, P., & Meurk, C.D. (1997). "Late-Glacial and Holocene vegetation and environment of Campbell Island, far southern New Zealand." *Holocene* 7(1): 1-12.
- 413 McGlone, M. S., Neall, V.E., & Pillans, B.J. (1984). "Inaha Terrace deposits: a Late Quaternary terrestrial record in South Taranaki, New Zealand." *New Zealand Journal of Geology and Geophysics* 27: 35-49.
- 414 McGlone, M. S., Nelson, C.S., & Hume, T.M. (1978). "Palynology, age and environmental significance of some peat beds in the upper Pleistocene Hinuera Formation, South Auckland, New Zealand." *Journal of the Royal Society of New Zealand* 8(4): 385-393.
- 415 McGlone, M. S., Nelson, C.S., & Todd, A.J. (1984). "Vegetation history and environmental significance of pre-peat and surficial peat deposits at Ohinewai, Lower Waikato lowland." *Journal of the Royal Society of New Zealand* 14: 233-244.
- 416 McGlone, M. S., Wilmshurst, J.M., & Wiser, S.K. (2000). "Lateglacial and Holocene vegetation and climatic change on Auckland Island, subantarctic New Zealand." *Holocene* 10(6): 719-728.
- 417 McGrath, R. J., & Boyd, W.E. (1998). "Holocene vegetation history of Bundjalung National Park and Bungwalbin Creek, north-eastern New South Wales." *Australian Geographer* 29: 205-221.
- 418 McIntyre, D. J., & McKellar, I.C. (1970). "A radiocarbon dated post-glacial pollen profile from Swampy Hill, Dunedin, New Zealand." *New Zealand Journal of Geology and Geophysics* 13(2): 346-349.
- 419 McKenzie, G. M. (1989). Late Quaternary vegetation and climate in central Highlands of Victoria with special references to *Nothofagus cunninghamii* Oerst. Rainforest. Melbourne, Monash.
- 220 McKenzie, G. M. (1997). "The Late Quaternary vegetation history of the south-central highlands of Victoria, Australia. Part 1. Sites above 900m." *Australian Journal of Ecology* 22(1): 19-36.
- 421 McKenzie, G. M. (2002). "The Late Quaternary vegetation history of the south-central highlands of Victoria, Australia. Part 2. Sites below 900m." *Austral Ecology* 27(1): 32-54.
- 422 McKenzie, G. M., & Busby, J.R. (1992). "A Quantitative estimate of Holocene climate using a bioclimate profile of *Nothofagus cunninghamii* (Hook) Oerst." *Journal of Biogeography*. 19: 531-540.

- 423 McKenzie, G. M., & Kershaw, A.P. (1997). "A vegetation history and quantitative estimate of Holocene climate in Chapple Valley, in the Otway region of Victoria, Australia." *Australian Journal of Botany* 45(3): 565-581.
- 424 McKenzie, G. M., & Kershaw, A.P. (2000). "The Last Glacial cycle from Wyelangta, the Otway region of Victoria, Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 155(1-2): 177-193.
- 425 McKenzie, M. (1989). "Charcoal studies from the Central Highlands of Victoria." *Quaternary Australasia* 7(1): 8.
- 426 McLea, W. L. (1990). "Palynology of Pohehe Swamp, northwest Wairarapa, New Zealand: a study of climatic and vegetation changes during the last 41, 000 years." *Journal of the Royal Society of New Zealand* 20: 205-220.
- 427 McLea, W. L. (1996). "The Late Quaternary pollen record of south-east Nelson, South Island, New Zealand." *New Zealand Journal of Botany* 34(4): 523-538.
- 428 McNess, A. (1988). A fine resolution vegetation history from a Melbourne Metropolitan Park. Department of Geography and Environmental Science. Melbourne, Monash.
- 429 Meon, H., & Pannetier, W. (1994). "Palynological study of the Late Quaternary of Loyalty Basin, South West Pacific." *Palaeogeography Palaeoclimatology Palaeoecology* 111(1-2): 135-147.
- 430 Mildenhall, D. C. (1976). "A pollen diagram from an interglacial sequence at Kaiwharawhara, Wellington, New Zealand." *New Zealand Geological Survey* 8: 102-108.
- 431 Mildenhall, D. C. (1976). "Exotic pollen rain on the Chatham Islands during the Late Pleistocene." *New Zealand Journal of Geology and Geophysics* 19(3): 327-333.
- 432 Mildenhall, D. C. (1976). "Holocene palynology of two cores, Pauatahanui Inlet, Porirua, New Zealand." *Pauatahanui Environmental Programme Newsletter* 5.
- 433 Mildenhall, D. C. (1978). Pollen distribution in sediments from Caswell, Nancy and Milford Sounds. *Fiord Studies: Caswell and Nancy Sounds, New Zealand*. G. P. Glasby, New Zealand Oceanographic Institute Memoir. 76: 45-61.
- 434 Mildenhall, D. C. (1979). "Holocene pollen diagrams from Pauatahanui Inlet, Porirua, New Zealand." *New Zealand Journal of Geology and Geophysics* 22(5): 585-591.
- 435 Mildenhall, D. C. (1986). "Middle Quaternary pollen diagrams from Judgeford, Lower Hutt and the significance of kauri pollen in a herbaceous assemblage." *New Zealand Geological Survey record* 8: 76-81.
- 436 Mildenhall, D. C. (1992). Variations in the vegetation around Wellington during the latest part of the Last Glaciation. Recent advances in Wellington earth science, extended abstracts, 8-9 July 1992. J. G. Begg, New Zealand Geological Survey report. G166: 37-38.
- 437 Mildenhall, D. C. (1993). "Holocene and Late Last Glaciation pollen record from drillholes at Miramar and Lambton Harbour, Wellington, New Zealand." *New Zealand Journal of Geology and Geophysics* 36(3): 349-356.
- 438 Mildenhall, D. C. (1993). "Last Glaciation/Post Glacial pollen record for Porirua, near Wellington, New Zealand." *Tuatara* 32: 22-27.
- 439 Mildenhall, D. C. (1993). "Pollen analysis of predominantly Last Glaciation samples from the Wainuiomata Drillhole, Wainuiomata, Wellington, New Zealand." *New Zealand Journal of Geology and Geophysics* 36(4): 453-460.
- 440 Mildenhall, D. C. (1994). "Early to Mid Holocene pollen samples containing mangrove pollen from Sponge Bay, East Coast, North Island, New Zealand." *Journal of the Royal Society of New Zealand* 24(2): 219-230.
- 441 Mildenhall, D. C. (1994). "Palynology of predominantly Last Glaciation sediments from the Mangaroa Drillhole, Hutt Valley, New Zealand." *New Zealand Journal of Geology and Geophysics* 37(1): 1-9.
- 442 Mildenhall, D. C. (1994). "Palynostratigraphy and palaeoenvironments of Wellington, New Zealand, during the last 80 ka, based on palynology of drillholes." *New Zealand Journal of Geology and Geophysics* 37(4): 421-436.

- 443 Mildenhall, D. C. (1995). "Pleistocene palynology of the Petone and Seaview Drillholes, Petone, Lower Hutt Valley, North Island, New Zealand." *Journal of the Royal Society of New Zealand* 25(2): 207-262.
- 444 Mildenhall, D. C. (2001). "Middle Holocene mangroves in Hawke's Bay, New Zealand." *New Zealand Journal of Botany* 39(3): 517-521.
- 445 Mildenhall, D. C. (2001). "Pollen analysis of Pliocene-Pleistocene Kowai Formation (Kurow Group), MacKenzie Basin, South Canterbury, New Zealand." *New Zealand Journal of Geology and Geophysics* 44(1): 97-104.
- 446 Mildenhall, D. C., & Brown, L.J. (1987). "An early Holocene occurrence of the mangrove *Avicennia marina* in Poverty Bay, North Island, New Zealand: its climate and geological implications." *New Zealand Journal of Botany* 25: 281-294.
- 447 Mildenhall, D. C., & Harris, W.F. (1980). "Species list and pollen counts from the Wallaceville (Mangaroa) Swamp and Taita." *New Zealand Geological Survey*.
- 448 Mildenhall, D. C., & Moore, P.R. (1983). "A late Holocene pollen sequence at Turakirae Head, climatic and vegetational changes in the Wellington area in the last 10, 000 years." *New Zealand Journal of Science* 26: 447-459.
- 449 Moar, N. T. (1958). "1. Auckland Island peat studies, contributions to the Quaternary history of the New Zealand Flora." *New Zealand Journal of Science* 1(3): 449-465.
- 450 Moar, N. T. (1961). "Pollen diagrams from the Western Ruahine Ranges." *New Zealand Journal of Science* 4(2): 350-359.
- 451 Moar, N. T. (1967). "Pollen diagrams from No-Man's Land Bog, Northern Ruahine Range, New Zealand." *New Zealand Journal of Botany* 5(3): 394-399.
- 452 Moar, N. T. (1970). "A new pollen diagram from Pyramid Valley Swamp." *Canterbury Museum* 8(5): 455-461.
- 453 Moar, N. T. (1971). "Aranuian pollen diagrams from Canterbury, Nelson and North Westland, Southland." *New Zealand Journal of Botany* 9(1): 80-145.
- 454 Moar, N. T. (1972). "Two Aranuiian pollen diagrams from Central South Island." *New Zealand Journal of Botany* 11: 291-304.
- 455 Moar, N. T. (1973). "Interglacial deposits in Joyces Stream ( S74) Waimakariri Valley, Canterbury." *New Zealand Journal of Geology and Geophysics* 16(3): 321-331.
- 456 Moar, N. T. (1973). Late Pleistocene vegetation and environment in southern New Zealand. *Palaeoecology of Africa, The Surrounding Islands and Antarctica*. E. M. van Zinderen Bakker Sr. 8: 179-198.
- 457 Moar, N. T. (1974). "Pollen analysis and the history of vegetation and climate." *Tussock Grasslands and Mountain Land Institute Review* 30: 26-32.
- 458 Moar, N. T. (1980). "Late Otiran and Early Aranuiian Grassland in central South Island." *New Zealand Journal of Ecology* 3: 4-12.
- 459 Moar, N. T., & McKellar, I.C. (2001). "Interglacial vegetation in South Westland, South Island, New Zealand." *New Zealand Journal of Geology and Geophysics* 44(1): 17-24.
- 460 Moar, N. T., & Suggate, R.P. (1973). "Pollen analysis of Late Otiran and Aranuiian sediments at Blue Spur Road (S51) North Westland." *New Zealand Journal of Geology and Geophysics* 16(3): 333-344.
- 461 Moar, N. T., & Suggate, R.P. (1979). "Interglacial and glacial vegetation in the Westport District, South Island." *New Zealand Journal of Botany* 17: 361-387.
- 462 Moar, N. T., & Suggate, R.P. (1996). "Vegetation history from the Kaihinu (last) Interglacial to the Present, West Coast, South Island, New Zealand." *Quaternary Science Reviews*. 15(5-6): 521-547.
- 463 Mooney, S. (1997). "A fine-resolution paleoclimatic reconstruction of the last 2000 years from Lake Keilambete, south eastern Australia." *Holocene* 7(2): 139-149.

- 464 Mooney, S. D., & Dodson, J.R. (2001). "A comparison of the environmental changes in the post European period with those of the preceding 2000 years at Lake Keilambete, south western Victoria." *Australian Geographer* 32(2): 163-179.
- 465 Mooney, S. D., Watson, J.R., & Dodson, J.R. (1997). "Late Holocene environmental change in an upper montane area of the Snowy Mountains, New South Wales." *Australian Geographer* 28(2): 185-200.
- 466 Morgan, R. (1976). "Palynology of a Pleistocene Nepean River terrace near Penrith." New South Wales Geological Survey Report 1976/24.
- 467 Morley, R. J. (1981). "Development and vegetation dynamics of a lowland ombrogenous peat swamp in Kalimantan Tengah, Indonesia." *Journal of Biogeography*. 8: 383-404.
- 468 Morley, R. J. (1981). "The palaeoecology of Tasek Bera, a lowland swamp in Pahang, West Malaysia." *Singapore Journal of Tropical Geography*. 2: 49-56.
- 469 Morley, R. J. (1982). "A palaeoecological interpretation of a 10,000 year record from Danau Padang, Central Sumatra, Indonesia." *Journal of Biogeography*. 9: 151-190.
- 470 Moss, P. (1994). Late Holocene environments of Den Plain, north-western Tasmania. *Geography*. Melbourne, University of Melbourne.
- 471 Moss, P. T. K., A.P. (2000). "The last Glacial cycle from the humid tropics of Northeastern Australia: a comparison of a terrestrial and a marine record." *Palaeogeography Palaeoclimatology Palaeoecology* 155(1-2): 155-176.
- 472 Newall, P. R. (1981). Plant-environment relationships of Caledonia Fen, Victoria. *Geography*. Melbourne, Monash.
- 473 Newnham, R. M. (1992). "A 30,000 year pollen, vegetation and climate record from Otakairangi (Hikurangi), Northland, New Zealand." *New Zealand Journal of Biogeography* 19: 541-554.
- 474 Newnham, R. M., & Lowe, D.J. (2000). "Fine resolution pollen record of late-glacial climate reversal from New Zealand." *Geology* 28(8): 759-762.
- 475 Newnham, R. M., de Lange, P.J., & Lowe, D.J. (1995). "Holocene vegetation, climate and history of a raised bog complex, northern New Zealand based on palynology, plant macrofossils and tephrochronology." *Holocene* 5(3): 267-282.
- 476 Newnham, R. M., Lowe, D.J., & Green, J.D. (1989). "Palynology, vegetation and climate of the Waikato lowlands, North Island, New Zealand, since c.18,000 years ago." *Journal of the Royal Society of New Zealand* 19: 127-150.
- 477 Newnham, R. M., Lowe, D.J., & Matthews, B.W. (1998). "A late Holocene and prehistoric environmental change from Lake Waikaremoana, New Zealand." *Holocene* 8(4): 443-454.
- 478 Newnham, R. M., Lowe, D.J., & Wigley, G.N.A. (1995). "Late Holocene palynology and palaeovegetation of tephra-bearing mires at Papamoa and Waihi Beach, western Bay of Plenty, New Zealand." *Journal of the Royal Society of New Zealand* 25(2): 283-300.
- 479 Newnham, R. M., Ogden, J., & Mildenhall, D. (1993). "A vegetation history of the far North of New Zealand during the Late Otira (Last) Glaciation." *Quaternary Research* 39: 361-372.
- 480 Newsome, J. C. (1999). "Pollen-vegetation relationships in semi-arid southwestern Australia." *Review of Palaeobotany and Palynology* 106(1-2): 103-119.
- 481 Newsome, J. C., & Flenley, J.R. (1988). "Late Quaternary vegetational history of the Central Highlands of Sumatra. 2. Palaeopalynology and vegetational history." *Journal of Biogeography*. 15: 555-578.
- 482 Newsome, J. C., & Flenley, J.R. (1988). "Late Quaternary vegetational history of the Central Highlands of Sumatra.1. Present vegetation and modern pollen rain." *Journal of Biogeography*. 15: 363-386.
- 483 Newsome, J. C., & Pickett, E.J. (1993). "Palynology and palaeoclimatic implications of two Holocene sequences from southwestern Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 101: 245-261.

- 484 Noble, M. G. (1981). Vegetational organization along altitudinal gradients in Tasmania. Canberra, unpub PhD, Dept Biogeography, Australian National University.
- 486 Polhaupessy A.A. 2002. Quaternary flora and vegetation of Java. in P. Kershaw, B. David, N. Tapper, D. Penny and J. Brown (eds.). Bridging Wallace's Line. Advances in GeoEcology 34. Reiskirchen, Catena Verlag, 83-96.
- 487 Parkes, A. (1997). Environmental change and the impact of Polynesian Colonization: Sedimentary records from Central Polynesia. Historical Ecology in the Pacific Islands, Prehistoric Environmental and Landscape Change. P. Kirch, & Hunt, T.: Chapter 9.
- 488 Parkes, A., & Flenley, J.R. (eds.) (1990). Hull University Mo'orea Expedition 1985 Final Report. Hull, University of Hull, School of Geography and Earth Resources, no.37.
- 489 Parkes, A., Teller, J.T., & Flenley, J.R. (1992). "Late Quaternary environmental history of the Lake Vaihiria drainage basin, Tahiti, French Polynesia." Journal of Biogeography. 19: 431-447.
- 490 Payawal, P. C. (1981). Vegetation and modern pollen rain in a tropical rainforest, Mt.Makiling, Philippines., University of Arizona: 97.
- 491 Pearson, S. (1999). "Late Holocene biological records from the middens of stick-nest rats in the central Australian arid zone." Quaternary International 59: 39-46.
- 492 Pearson, S., & Dodson, J.R. (1993). "Stick-nest rat middens as a source of paleocological data in Australian Deserts." Quaternary Research 39: 347-354.
- 493 Pederson, B. J. T. (1983). A preliminary examination of the vegetation history of Dragon Tree Soak from 6380 B.P. to the Present. Geography. Nedlands, University of Western Australia.
- 494 Penny, D. (1993). Palaeoecology and Human impact at Lake Coleman, East Gippsland, Victoria. Geology and Environmental Science. Melbourne, Monash.
- 495 Penny, D. (1999). The biogeography and climatology of north-east Thailand from 40, 000 years BP - evidence from Nong Pa Kho. Unpub PhD thesis, Geography and Environmental Science, Monash University.
- 496 Penny, D. (2001). "A 40, 000 year palynological record from north-east Thailand: implications for biogeography and palaeo-environmental reconstruction." Palaeogeography Palaeoclimatology Palaeoecology 171(3-4): 97-128.
- 497 Penny, D., Bishop, P., & Grindrod, J. (1996). "Holocene palaeoenvironmental reconstruction based on microfossil analysis of a lake sediment core, Nong Han Kumphawapi, Udon Thani, northeast Thailand." Asian Perspectives 35: 168-197.
- 498 Peterson, M. J. (1993). The Holocene vegetation and climate history of Mt.Read, Western Tasmania from pollen analysis and tree-ring chronologies. Unpub Hons thesis, Geography. University of Newcastle.
- 499 Pickard, J., et. al. (1983). Holocene climates of the Vestfold Hills, Antarctica and Macquarie Island. Late Cainozoic Palaeoclimates of the Southern Hemisphere. J. C. Vogel, et. al.: 173-182.
- 500 Pickett, E. J., & Newsome, J.C. (1997). "*Eucalyptus* (Myrtaceae) pollen and its potential role in investigations of Holocene environments in Southwestern Australia." Review of Palaeobotany and Palynology 98(3-4): 187-205.
- 501 Pillans, B., McGlone, M., et al (1993). "The last Glacial Maximum in central and southern North Island, New Zealand, a palaeoenvironmental reconstruction using the Kawakawa Tephra formation as a chronostratigraphic marker." Palaeogeography Palaeoclimatology Palaeoecology 101: 283-304.
- 502 Pittock, J. (1989). Palaeoenvironments of the Mount Disappointment Plateau (Kinglake West, Victoria) from late Pleistocene. Melbourne, Monash.
- 503 Pocknall, D. T. (1980). "Modern pollen rain and Aranuian vegetation from Lady Lake, north Westland, New Zealand." New Zealand Journal of Botany 18: 275-284.
- 504 Pocknall, D. T., & Millener, P.R. (1984). "Vegetation near Lake Poukawa prior to the Taupo Eruption." Journal of the Royal Society of New Zealand 14(2): 151-157.



- 505 Pola, J. (1993). Late Pleistocene pollen and vegetation history from Lake Selina, western Tasmania. Newcastle, University of Newcastle.
- 506 Polach, H., & Singh, G. (1980). "Comtemporary 14C levels and their significance to sedimentary history of Bega Swamp, New South Wales." *Radiocarbon* 22: 398-409.
- 507 Powell, J. M. (1970). The impact of man on the vegetation of the Mt.Hagan region, New Guinea. Canberra, Australian National University.
- 508 Powell, J. M. (1977). "Pollen, plant communities and prehistory in the Solomon Islands." *Bulletin of the Royal Society of New Zealand* 11: 75-105.
- 509 Powell, J. M. (1980). Studies of New Guinea vegetation history. Proceedings of IV international Palynology conference, Lucknow.
- 510 Powell, J. M. A., Kulunga, A., Moge, R., Pono, C., Zimike, F., & Golson, J. (1975). Agricultural traditions of the Mt.Hagen area. Port Moresby, Dept. of Geography Occasional Paper, University of Papua New Guinea. 12.
- 511 Pudjoarinto, A. (1995). Sejarah flora dan vegetasi di Dieng: suatu pendekatan palinologik. Jogjakarta, Univ Gadga Mada.
- 512 Pudjoarinto, A., & Cushing, E.J. (2001). "Pollen-stratigraphic evidence of human activity at Dieng, central Java." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 329-340.
- 513 Radclyffe, E. (1993). Fire and people in Jervis Bay: towards a fire history in an occupied landscape. Geography. Canberra, Australian National University.
- 514 Raine, J. I. (1974). Pollen sedimentation in relation to Quaternary vegetation of the Snowy Mountains of New South Wales. Canberra, Australian National University.
- 515 Randall, P. M. (1990). "A study of modern pollen deposition, Southern Alps, South Island, New Zealand." *Review of Palaeobotany and Palynology* 64: 263-272.
- 516 Reid, M. (1989). Palaeoecological changes at Lake Wellington, Gippsland Lakes, Victoria, during the Late Holocene: a study of the development of a coastal ecosystem. Geography and Environmental Science. Melbourne, Monash.
- 517 Robertson, M. (1986). Fire regimes and vegetation dynamics. A case study examining the potential of fire resolution palaeoecological techniques. Geography. Melbourne, Monash.
- 518 Rogers, G. M., & McGlone, M.S. (1989). "A postglacial vegetation history of the southern central uplands of North Island, New Zealand." *Journal of the Royal Society of New Zealand* 19: 229-248.
- 519 Rogers, G. M., & McGlone, M.S. (1994). "A history of Kaiparoro clearing and the limits of Nothofagus in the northern Tararua Range, New Zealand." *New Zealand Journal of Botany* 32: 463-482.
- 520 Rowe, R. K. (1968). "Rare bog community at Tawonga, Victoria." *Victorian Naturalist* 85: 123-124.
- 521 Rowell, M. V., Jordan, G.J., & Barnes, R.W. (2001). "An in situ, Late Pleistocene Melaleuca fossil forest at Coal Head, western Tasmania, Australia." *Australian Journal of Botany* 49(2): 235-244.
- 522 Russell-Smith, J. (1985). "A record of change: studies of Holocene vegetation history in the South Alligator River region, Northern Territory." *Proceedings of the Ecological Society of Australia* 13: 191-202.
- 523 Salas, M. R. (1981). A reconnaissance survey of the vegetation and sedimentary record of Lake Tali Karng. Geography. Melbourne, Monash.
- 524 Salas, M. R. (1983). "Long distance pollen transport over the southern Tasman Sea, evidence from Macquarie Island." *New Zealand Journal of Botany* 21: 285-292.
- 525 Salas, M. R., & Kershaw, A.P. (1982). Pollen analysis of sediment samples from Blue Lake, South Australia. Adelaide, CSIRO Division of Soils.
- 526 Sandiford, A., Horrocks, M., Newnham, R., Odgen, J., & Alloway, B. (2002). "Environmental change during the last glacial maximum (c.25, 000 - 16, 500 years BP) at Mt.Richmond, Auckland Isthmus, New Zealand." *Journal of the Royal Society of New Zealand* 32(1): 155-167.

- 527 Saxena, D. P., & Subramanian, V. (1994). Use of pollen to draw the vegetational, deforestation and climatic history of recent sediments of Yamuna, around Delhi. Proc. 3rd National Symposium on Environment, Thiruvananthapuram.
- 528 Saxena, D. P., Singh, A.B., & Subramanian, V. (19xx). "Pollen records and environmental changes of Yamuna River sediments around Delhi, India."
- 529 Scarlett, N. H., Hope, G.S., & Calder, D.M. (1974). "Natural History of the Hogan Group. 3. Floristics and Plant Communities." The Papers and Proceedings of the Royal Society of Tasmania 107: 83-98.
- 531 Sekar, B., Rajagopalan, G., & Bhattacharyya, A. (1994). "Chemical analysis and C14 dating of sediment core from Toskar Lake, Ladakh and its implications on climatic changes." Current Science 67(1): 36-39.
- 532 Selkirk, D. R., Selkirk, P.M., & Bergstrom, D.M. (1984). "Holocene vegetation history of Macquarie Island." Tasmanian Naturalist 78: 21-23.
- 533 Selkirk, D. R., Selkirk, P.M., & Griffin, K. (1982). "Palynological evidence for Holocene environmental changes and uplift on Wireless Hill, Macquarie Island." Proceedings of the Linnean Society of New South Wales. 107(1): 1-17.
- 534 Selling, O. H. (1946). "Studies in Hawaiian Pollen Statistics, Part 1. The spores of the Hawaiian Pteridophytes." Bernice P.Bishop Museum Special Publication 37.
- 535 Selling, O. H. (1947). "Studies in Hawaiian Pollen Statistics, Part 2. The pollens of the Hawaiian Phanerogams." Bernice P.Bishop Museum Special Publication 38.
- 536 Selling, O. H. (1948). "Studies in Hawaiian Pollen Statistics, Part 3. On the late Quaternary history of the Hawaiian vegetation." Bernice P.Bishop Museum Special Publication 39.
- 537 Semah, A.-M., & Semah, F. (1991). "Recession of the sea, climatic changes and the earliest colonisation of Java near the Plio-Pleistocene boundary." Bulletin of the Indo-Pacific Prehistory Association 11: 1-6.
- 539 Shulmeister, J. (1992). "A Holocene pollen record from lowland tropical Australia." Holocene 2: 107-116.
- 540 Shulmeister, J., & Lees, B.G. (1995). "Pollen evidence from tropical Australia for the onset of an ENSO-dominated climate at c.4000 BP." Holocene 5(1): 10-18.
- 541 Shulmeister, J., Shane, P., Liam, O.B., Okuda, M., Carter, J.A., Harper, M., Dickinson, W., Augustinus, P., & Hejnis, H. (2001). "A long Late-Quaternary record from Lake Poukawa, Hawke's Bay, New Zealand." Palaeogeography Palaeoclimatology Palaeoecology 176(1-4): 81-107.
- 542 Shulmeister, J., Soons, J.M., Berger, G.W., Harper, M., Holt, S., Carter, J.A., & Moar, N. (1999). "Environmental and sea-level changes on Banks Peninsula (Canterbury, New Zealand) through three glaciation-interglaciation cycles." Palaeogeography Palaeoclimatology Palaeoecology 152(1-2): 101-127.
- 543 Shulmeister, J., McLea, W.L., Singer, C., McKay, R.M. and C. Hosie. 2003. Late Quaternary pollen records from lower Cobb valley and adjacent areas, Northwest Nelson, New Zealand. New Zealand Journal of Botany. 41:503-533.
- 544 Singh, G. (1971). "The Indus valley culture seen in the context of Post Glacial climatic and ecological studies in north west India." Archaeology and Physical Anthropology in Oceania 6(2).
- 545 Singh, G. (1981). "Late Quaternary pollen records and seasonal palaeoclimates of Lake Frome, South Australia." Hydrobiologia 82: 419-430.
- 546 Singh, G. (1989). "Fine resolution palaeoecology and palaeoclimatology at Bega Swamp, south east New South Wales." Quaternary Australasia 7(1): 5.
- 547 Singh, G., & Agrawal, D.P. (1976). "Radiocarbon evidence for deglaciation in northwestern Himalaya, India." Nature 260: 232.
- 548 Peterson, J. A., Hope, G. S., Prentice, M. and Hantoro, 2002. W. Mountain environments in New Guinea and the late Glacial Maximum "warm seas/cold mountains" enigma in the West Pacific Warm Pool region. Pp 173-187 in P. Kershaw, B. David, N. Tapper, D. Penny and J. Brown (eds.), *Bridging Wallace's Line*. Advances in GeoEcology 34. Reiskirchen, Catena Verlag.

- 549 Singh, G., & Geissler, E.A. (1985). "Late Cainozoic vegetation history of vegetation, fire, lake levels and climate, at Lake George, New South Wales, Australia." *Philosophical Transactions of the Royal Society of London series B* 311: 379-447.
- 550 Singh, G., & Luly, J. (1991). "Changes in vegetation and seasonal climate since the last full glacial at Lake Frome, South Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 84: 75-86.
- 551 Singh, G., Joshi, R.D., Chopra, S.K., & Singh, A.B. (1974). "Late Quaternary history of vegetation and climate of the Rajasthan Desert, India." *Philosophical Transactions of the Royal Society of London series B* 267(467-501).
- 552 Singh, G., Kershaw, A.P., & Clark, R. (1981). Quaternary vegetation and fire history in Australia. *Fire and the Australian Biota*. A. M. Gill, et al: 23-54.
- 553 Singh, G., Wasson, R.J., & Agrawal, D.P. (1990). "Vegetational and seasonal climatic changes since the last full glacial in the Thar Desert, northwestern India." *Review of Palaeobotany and Palynology* 64(1-4): 351-358.
- 554 Sluiter, I. R. K., & Parsons, R.F. (1995). "On the Holocene palaeoenvironmental record from Lake Tyrrell, northwestern Victoria, Australia. - a reply." *Journal of Biogeography*. 22: 149-156.
- 555 Southern, W. (1982). Late Quaternary vegetation and environments of Jackson's Bog and the Monaro Tablelands, New South Wales. Melbourne, Monash.
- 556 Southern, W. (1986). The Late Quaternary Environmental history of Fiji. unpub PhD thesis, Dept Biogeography, Australian National University.
- 557 Southern, W. (unpublished). The vegetation history of Lahakai Swamp, Manus Island, Papua New Guinea: a preliminary report, Archaeology, Australian National University.
- 558 Stevenson, J. (1998). Late Quaternary environmental change and the impact of Melanesian colonisation in New Caledonia. Unpub PhD thesis, Geography, University of New South Wales.
- 559 Stevenson, J., & Dodson, J.R. (1995). "Palaeoenvironmental evidence for human settlement on New Caledonia." *Archaeology in Oceania*. 30: 36-41.
- 560 Stevenson, J., Dodson, J.R., & Prosser, I.P. (2001). "A Late Quaternary record of environmental change and human impact from New Caledonia." *Palaeogeography Palaeoclimatology Palaeoecology* 168(1-2): 97-123.
- 561 Strickland, K. M. (1980). Studies on the relationship between the pollen rain and the vegetation in the vicinity of Cascade Creek on the Baw Baw Plateau, Victoria. Department of Geography. Melbourne, Monash.
- 562 Stuijts, I. (1984). "Palynological study of Situ Bayongbong, West Java." *Modern Quaternary Research in South East Asia*. 8: 17-27.
- 563 Stuijts, I. (1993). "Late Pleistocene and Holocene vegetation of West Java, Indonesia." *Modern Quaternary Research in South East Asia*. 12: 173pp.
- 564 Stuijts, I., Newsome, J.C., & Flenley, J.R. (1988). "Evidence for Late Quaternary vegetational change in the Sumatran and Javan Highlands." *Review of Palaeobotany and Palynology* 55(1-3): 207-216.
- 565 Sukumar, R., Ramesh, R., Pant, R.K., & Rajagopalan, G. (1993). "A C13 record of Late Quaternary climate change from tropical peats in southern India." *Nature* 364: 703-705.
- 566 Sukumar, R., Suresh, H.S., & Ramesh, R. (1995). "Climate change and its impact on tropical montane ecosystems in Southern India." *Journal of Biogeography*. 22(2-3): 533-536.
- 567 Sulistiyanti, R. S. (1991). Stratigrafi polen dan spora di Telaga Sewiwi, Kec Batur, Jawa Tengah. Biologi, Univ Gadge Mada.
- 568 Sun, X. J., Li, X., Luo, Y.L., & Chen, X.D. (2000). "The vegetation and climate at the last glaciation on the emerged continental shelf of the South China Sea." *Palaeogeography Palaeoclimatology Palaeoecology* 160(3-4): 301-316.
- 569 Swadling, P., & Hope, G.S. (1992). Environmental change in New Guinea since human settlement. *The Naive Lands: Prehistory and environmental change in Australia and the Southwest Pacific*. J. R. Dodson: 13-42.

- 570 Sweller, S., & Martin, H.A. (1996). "History of the vegetation at Burruga Swamp, Barrington Tops National Park, Upper Hunter River region, New South Wales." *Proceedings of the Linnean Society of New South Wales*. 118: 23-50.
- 571 Sweller, S., & Martin, H.A. (2001). "A 40, 000 year vegetation history and climatic interpretations of Burruga Swamp, Barrington Tops, New South Wales." *Quaternary International* 83-85: 233-244.
- 572 Taylor, D., Yen, O.H., Sanderson, P.G., & Dodson, J.R. (2001). "Late Quaternary peat formation and vegetation dynamics in a lowland tropical swamp: Nee Soon, Singapore." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 269-287.
- 573 Thom, B. G., Hails, J.H., & Martin, A.R.H. (1969). "Radiocarbon evidence against higher postglacial sea-levels in eastern Australia." *Marine Geology* 7: 161-168.
- 574 Thomas, A. (1991). *Giandarra Bog, New South Wales - A natural record of environmental change*. Canberra, ADFA.
- 575 Thomas, I. (1984). *Liawenee Moor: the post-glacial history of a Tasmanian alpine grassland.*, University of Tasmania.
- 576 Thomas, I. (1992). *The Holocene palaeoecology and archaeology of northeastern Tasmania, Australia*. Hobart, University of Tasmania.
- 577 Thomas, I. (1995). *Where have all the forests gone? New pollen evidence from Melaleuca Inlet in southwestern Tasmania*. Institute of Australian Geographers, Monash Publications in Geography.
- 578 Thomas, I. (1996). "Environmental changes in northeastern Tasmania during the Holocene." unknown.
- 579 Thomas, I. (1997). "Pollen evidence for a Holocene cooling episode in northeastern Tasmania, Australia." *Australian Journal of Botany* unpublished.
- 580 Thomas, I., & Kirkpatrick, J.B. (1996). "The roles of coastlines, people and fire in the development of heathlands in northeast Tasmania." *Journal of Biogeography*. 23(5): 717-728.
- 581 Thomas, I., & Hope, G.S. (1994). "An example of Holocene vegetation stability from Camerons Lagoon, a near treeline site on the Central Plateau, Tasmania." *Australian Journal of Ecology* 19(2): 150-158.
- 582 Thomas, I., Enright, N.J., & Kenyon, C.E. (2001). "The Holocene history of mediterranean-type plant communities, Little Desert National Park, Victoria, Australia." *Holocene* 11(6): 691-697.
- 583 Torgersen, T., & Longmore, M.E. (1984). "Caesium 137 diffusion in the highly organic sediment of Hidden Lake, Fraser Island, Queensland." *Australian Journal of Marine Freshwater Resources* 35: 537-548.
- 584 Torgersen, T., Hutchinson, M.F., Searle, D.E., & Nix, H.A. (1983). "General bathymetry of the Gulf of Carpentaria and the Quaternary physiography of Lake Carpentaria." *Palaeogeography Palaeoclimatology Palaeoecology* 41: 207-225.
- 585 Torgersen, T., Jones, M.R., Stephens, A.W., Searle, D.E., Ullman, W.J. (1985). "Late Quaternary hydrological changes in the Gulf of Carpentaria." *Nature* 313: 785-787.
- 586 van de Geer, G., Colhoun, E.A., & Mook, W.G. (1986). "Stratigraphy, pollen analysis and palaeoclimatic interpretation of Mowbray and Broadmeadows Swamps, north-western Tasmania, Australia." *Australian Geographer* 17: 121-133.
- 587 van de Geer, G., Fitzsimons, S.J., & Colhoun, E.A. (1989). "Holocene to middle last glacial vegetation history at Newall Creek, western Tasmania." *New Phytologist*. 111: 549-558.
- 588 van de Geer, G., Fitzsimons, S.J., & Colhoun, E.A. (1991). "Holocene vegetation history from King River Railway Bridge, western Tasmania." *Papers and Proceedings of the Royal Society of Tasmania*. 125: 73-77.
- 589 van de Geer, G., Heusser, L.E., Lynch-Steiglitz, J., & Charles, C.D. (1994). "Palaeoenvironments of Tasmania inferred from a 5-75 ka marine pollen record." *Palynology* 18: 33-40.
- 590 van der Kaars, S. (2001). "Pollen distribution in marine sediments from the south-eastern Indonesian waters." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 341-361.

- 591 van der Kaars, S., & Dam, R. (1997). "Vegetation and climate change in West Java, Indonesia during the last 135, 000 years." *Quaternary International* 37: 67-71.
- 592 van der Kaars, S., & De Deckker, P. (2002). "A Late Quaternary pollen record from deep-sea core Fr10/95, GC17 offshore Cape Range Peninsula, northwestern Western Australia." *Review of Palaeobotany and Palynology* 120: 17-39.
- 593 van der Kaars, S., Penny, D., Tibby, J., Fluin, J., Dam, M.A.C. & Suparan, P. (2001). "Late Quaternary palaeoecological and paleolimnology of a tropical lowland swamp: Rawa Danau, West Java, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 171(3-4): 185-212.
- 594 van der Kaars, S., Wang, X., Kershaw, A.P., Guichard, F., & Setiabudi, D.A. (2000). "A Late Quaternary palaeoecological record from the Banda Sea, Indonesia: patterns of vegetation, climate and biomass burning in Indonesia and northern Australia." *Palaeogeography Palaeoclimatology Palaeoecology* 155(1-2): 135-153.
- 595 van der Kaars, W. A. (1989). "Aspects of Late Quaternary palynology of eastern Indonesian deep-sea cores." *Netherlands Journal of Sea Research* 4: 495-500.
- 596 van der Kaars, W. A. (1989). Late Quaternary vegetation and climate of Australasia as reflected by the palynology of eastern Indonesian deep-sea piston cores. Amsterdam, Dept. of Palynology and Palaeoclimatology, University of Amsterdam.
- 597 van der Kaars, W. A. (1991). "Palynology of eastern Indonesian marine piston-cores: A Late Quaternary vegetational and climatic record for Australasia." *Palaeogeography Palaeoclimatology Palaeoecology* 85: 239-302.
- 598 van der Kaars, W. A., & Dam, M.A.C. (1994). Palynology of Bandung Basin sediments. The Late Quaternary Evolution of the Bandung Basin, West Java, Indonesia. M. A. C. Dam: 173-186.
- 599 van der Kaars, W. A., & Dam, M.A.C. (1995). "A 135, 000 year record of vegetational and climatic change from the Bandung area, West Java, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 117(1-2): 55-72.
- 600 van Zeist, W., Polhaupessy, A.A., & Stuits, I. (1979). "Two pollen diagrams from West Java, a preliminary report." *Modern Quaternary Research in South East Asia*. 8: 1-15.
- 601 Scott, L. (1985). "Palynological indications of the Quaternary vegetation history of Marion Island (sub-Antarctic)." *Journal of Biogeography*. 12: 413-431.
- 602 Vandergoes, M. J., Fitzsimons, S.J., & Newnham, R.M. (1997). "Late Glacial to Holocene vegetation and climate change in the Eastern Takitimu mountains, western Southland, New Zealand." *Journal of the Royal Society of New Zealand* 27(1): 53-66.
- 603 Vasanthi, G. (1988). "Pollen analysis of Late Quaternary sediments: evolution of upland savanna in Sandynallah (Nilgiris, South India)." *Review of Palaeobotany and Palynology* 55(1-3): 175-192.
- 604 Vishnu-Mittre (1966). A note on the early history of agriculture in India. The early history of agriculture. J. Hutchinson. London, Proceedings of the Royal Society of London: 36.
- 605 Vishnu-Mittre (1979). "Palaeobotanical evidence of the environment of early man in North West and West India." *Grana* 18: 167-181.
- 606 Vishnu-Mittre & Gupta H.P. (19xx). "Pollen analytical study of Quaternary deposits in the Bengal Basin." *The Palaeobotanist* unknown: 297-305.
- 607 Vishnu-Mittre & Sharma, C. (1979). "Pollen analytical studies at Nal Lake (Nalsarovar) Gujarat." *The Palaeobotanist* 26: 95-104.
- 608 Vishnu-Mittre & Sharma, C. (1984). "Vegetation and climate during the Last Glaciation in the Kathmandu Valley, Nepal." *Pollen et Spores* 26(1): 69-94.
- 609 Wagstaff, B. E., Kershaw, A.P., O'Sullivan, P.B., Harle, K.J., & Edwards, J. (2001). "An Early to Middle Pleistocene palynological record from the volcanic crater of Pejark Marsh, Western Plains of Victoria, southeastern Australia." *Quaternary International* 83-85: 211-232.
- 610 Walker, D. (1966). "Vegetation of the Lake Ipea region, New Guinea Highlands. 1. Forest grassland and "garden"." *Journal of Ecology* 54: 503-533.

- 611 Walker, D. (1970). "The changing vegetation of the montane Tropics." *Search* 1(5): 217-221.
- 613 Walker, D. (2000). "Pollen input to, and incorporation in, two crater lakes in tropical northeast Australia." *Review of Palaeobotany and Palynology* 111(3-4): 253-283.
- 614 Walker, D., & Chen, Y. (1987). "Palynological light on tropical rain-forest dynamics." *Quaternary Science Reviews*. 6: 77-92.
- 615 Walker, D., & Flenley, J.R. (1979). "Late Quaternary vegetational history of the Enga Province of upland Papua New Guinea." *Philosophical Transactions of the Royal Society of London* 286(1012): 265-344.
- 616 Walker, D., & Owen, J.A.K. (1999). "The characteristics and source of laminated mud at Lake Barrine, northeast Australia." *Quaternary Science Reviews*. 18(14): 1597-1624.
- 617 Walker, D., Head, M.J., Hancock, G.J., & Murray, A.S. (2000). "Establishing a chronology for the last 1000 years of laminated sediment accumulation at Lake Barrine, a tropical maar lake, northeastern Australia." *Holocene* 10(4): 415-427.
- 618 Wang, X., van der Kaars, S., Kershaw, A.P., Bird, M., & Jansen, F. (1999). "A record of fire, vegetation and climate through the last three glacial cycles from Lombok Ridge core G6-4, eastern Indian Ocean, Indonesia." *Palaeogeography Palaeoclimatology Palaeoecology* 147(3-4): 241-256.
- 619 Ward, J. V. (1988). "Palynology of Kosrae, Eastern Caroline Islands: Recoveries from pollen rain and Holocene deposits." *Review of Palaeobotany and Palynology* 55(1-3): 247-271.
- 620 Ward, J. V. (1994). A Holocene pollen record from the Pago River Valley, Guam. *Archaeology in Manenggon Hills, Yona, Guam, Vol.3, Results for Analyses*. R. L. Hunter-Anderson, Micronesian Archaeological Research Services, Guam. 3: 9.34-9.52.
- 621 Ward, J. V. (1994). Paleoenvironmental investigations at Kekaulike, Nu'uuanu Ahupua'a, Honolulu, O'ahu, Hawai'i. Honolulu, International Archaeological Research Institute, Inc.
- 622 Ward, J. V. (1994). Pollen analysis of wetland sites from Manenggon Hills, Guam: A6 Bridge, Wetland sites 15 and 16, Pumphouse Wash and M221. *Archaeology in Manenggon Hills, Yona, Guam, Vol.3, Results for Analyses*. R. L. Hunter-Anderson, Micronesian Archaeological Research Services, Guam. 3: 9.6-9.33.
- 623 Ward, J. V. (1995). A Holocene pollen record from Laguas River, Guam. *Archaeology in the Marine Drive Corridor from Agana to Agat, Guam*. E. F. Wells, Prasad, U.K. & Hunter-Anderson, R.L., Micronesian Archaeological Research Services. Appendix B: 205-224.
- 624 Ward, J. V., & Athens, J.S. (1995). "Paleoenvironment of the Orote Peninsula, Guam." *Micronesica* 28: 51-76.
- 625 Ward, J. V., & Athens, J.S. (1997). "The Maunawili Core: Prehistoric inland expansion of settlement and agriculture, O'ahu, Hawai'i." *Hawaiian Archaeology* 6: 37-65.
- 626 Ward, J. V., & Bulalcao, L.J. (1999). "Pollen analysis of Laguna de Bay, Luzon." *National Museum Papers* 9(1): 1-26.
- 627 Ward, J. V., Athens, J.S., & Hutton, C. (1998). Holocene pollen records from Babeldaob Island, Palau, Western Caroline Islands. 63rd Annual meeting of the Society for American Archaeology., Seattle, Washington.
- 628 Wardle, P. (1977). "Further radiocarbon dates from Westland National Park and the Omoeroa River mouth, New Zealand." *New Zealand Journal of Botany* 16: 147-152.
- 629 Wardle, P., & McKeller, M.H. (1978). "Nothofagus menzeiesii leaves dated at 7, 490 years BP in till-like sediments at Milford Sound, New Zealand." *New Zealand Journal of Botany* 16: 153-157.
- 630 Watson, J. R. (1995). A Palaeoenvironmental reconstruction and assessment of human impact in a subalpine area of the Snowy Mountains, New South Wales, Australia. *Geography*, University of New South Wales.
- 631 Whinam, J., & Kirkpatrick, J.B. (1994). "The Mount Wellington String Bog." *Papers and Proceedings of the Royal Society of Tasmania*. 128(63-68).

- 632 White, J. P. (1994). "Site 820 and the evidence for early occupation in Australia." *Quaternary Australasia* 12(2): 21-33.
- 633 Williams, J. M. (1980). "Crystal Bog, Mount Buffalo: a palaeoecological study of a subalpine peat deposit." *Monash Publications in Geography*. 8.
- 634 Williams, J. M. (1982). *Crystal Bog, Mount Buffalo: a palaeoecological study of a sub-alpine peat deposit*. Melbourne, Monash.
- 635 Williams, P. W., McDougall, I., & Powell, J.M. (1972). "Aspects of the Quaternary geology of the Tari-Koroba area, Papua." *Journal of the Geological Society of Australia* 18: 333-347.
- 636 Wilmshurst, J. M. (1995). *A 2000 year history of vegetation and landscape change in Hawke's Bay, North Island, New Zealand*. Canterbury, University of Canterbury.
- 637 Wilmshurst, J. M. (1997). "The impact of human settlement on vegetation and soil stability in Hawke's Bay, New Zealand." *New Zealand Journal of Botany* 35(1): 97-111.
- 638 Wilmshurst, J. M., & McGlone, M.S. (1996). "Forest disturbance in the central North Island, New Zealand, following the 1850 BP Taupo eruption." *Holocene* 6(4): 399-411.
- 639 Wilmshurst, J. M., Eden, D.N., & Froggatt, P.C. (1999). "Late Holocene forest disturbance in Gisborne, New Zealand: a comparison of terrestrial and marine pollen records." *New Zealand Journal of Botany* 37(3): 523-540.
- 640 Wilmshurst, J. M., McGlone, M.S., & Partridge, T.R. (1997). "A late Holocene history of natural disturbance in lowland podocarp/hardwood forest, Hawke's Bay, New Zealand." *New Zealand Journal of Botany* 35(1): 79-96.
- 641 Worsley, A. T., & Oldfield, F. (1988). "Palaeoecological studies of three lakes in the highlands of Papua New Guinea. 2. Vegetational history over the last 1600 years." *Journal of Ecology* 76: 1-18.
- 642 Yakzan, A. M., & Hassan, K. (1997). "Palynology of Late Quaternary coastal sediments, Perak, Malaysia." *Catena* 30: 391-406.
- 643 Yezdani, G. H. (1970). *A study of the Quaternary vegetation history in the volcanic lakes region of western Victoria*. Unpub PhD thesis, Monash University.
- 644 Young, S. B., & Schofield, E.K. (1973). "Pollen evidence for late Quaternary climatic change on Kerguelen Islands." *Nature* 245: 311-312.
- 645 Zaklinskaya, E. D. (1978). "Palynological information from late Pliocene-Pleistocene deposits recovered from deep-sea drilling in the region of the island of Timor." *Review of Palaeobotany and Palynology* 26: 227-241.